



MORTISE LOCKS



Entrance Trim Symbolgy

HOW TO ORDER

Refer to back cover for ordering guide



*WARNING: Double cylinder functions on any application used for Egress may present a safety hazard in times of emergency. Installation should be in accordance with local codes.



Watch for this icon as your quick guide to coordinating Baldwin lock hardware throughout your home. Your favorite Baldwin styles can be available in Tubular, Mortise, or Multi-Point.




This symbol signifies that the illustrated lock trim will cover most single tubular cut-outs when used with appropriate backset mortise lock. Individual conditions should be examined to confirm acceptability.

MORTISE LOCKS

Escutcheon Plate Configurations

Ordered in half pairs except for privacy (.KP) cut-outs which are ordered in pairs.



*NOT AVAILABLE ON ALL ESCUTCHEONS

Terminology

All the codes used in Entrance Trim

ESCUTCHEON TRIMS

Function Code	Description
.ENTR	Active Entrance Trim – Knobs, Levers
.RENT	Right-handed Active Handleset – Levers
.LENT	Left-handed Active Handleset – Levers
.DBLC	Double Cylinder Active Entrance Trim
.FD	Full Dummy Trim
.RFD	Right-Handed Full Dummy
.LFD	Left-Handed Full Dummy
.BB75	Back to Back Entrance Trims 1 ¾" Doors
.BB30	Back to Back Entrance Trims up to 3" Doors
.BBFD	Back to Back Full Dummy
.KC	Knob and Cylinder Hole
.KT	Knob and Turn Piece Attached
.KN	Knob Hole
.KP	Knob and Privacy Button Hole (only sold in Pairs)
.KE	Knob and Emergency Release Hole
.KCIS	Cut for Cylinder Inside*
.KEIS	Cut for Emergency Release Inside*
.KNIS	Cut for Knob Inside*
.KTIS	Cut for Turn Piece Inside*
.KCOS	Cut for Cylinder Outside **
.KEOS	Cut for Emergency Release Outside**
.KNOS	Cut for Knob Outside**
.KTOS	Cut for Turn Piece Outside**

*Surface Mounted Thru-Bolt

** Thru-Bolted (No Surface Screws)

MORTISE LOCKS


Function Code	Description
.R	Right-handed Mortise Lock (Knobs)
.L	Left -handed Mortise Lock (Knobs)
.RLS	Right-handed Mortise Lock Lever Strength (Levers)
.LLS	Left-handed Mortise Lock Lever Strength (Levers)
.RR	Right-handed Reverse Bevel Mortise Lock (Knobs)
.LR	Left-handed Reverse Bevel Mortise Lock (Knobs)
.RRLS	Right-handed Reverse Bevel Mortise Lock Lever Strength (Levers)
.LRLS	Left-handed Reverse Bevel Mortise Lock Lever Strength (Levers)
.LRB1	Right-handed Reverse Bevel Mortise Lock Lever Strength (Levers) w/ 1" Front
.RRB1	Left-handed Reverse Bevel Mortise Lock Lever Strength (Levers) w/ 1" Front

MORTISE LOCKS

Pre-Drilled Doors



This symbol signifies that the illustrated lock trim will cover most single tubular cut-outs when used with appropriate backset mortise lock. Individual conditions should be examined to confirm acceptability.



ENTRANCE TRIM, MORTISE BRISTOL




Available while supplies last.

030, 031, 033
050, 060, 102
112, 150, 151
190, 260, 264

003,
044, 055
056, 402
412, 452

Item #	Description	WT.		
6520.xxx.ENTR	Entrance Trim	Set		
6520.xxx.DBLC	Double Cylinder	Set	\$645	\$720
6520.xxx.FD	Full Dummy	Set		
6520.xxx.ENFDT	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
6640.xxx	Active Exterior Trim	Each		
6640.xxx.DM	Dummy Exterior Trim	Each	365	410
	Interior Escutcheon –			
6520.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6520.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6520.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6520.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim width: 2.5"
Trim thickness: .56" – 1"



Sets

	6520.xxx.ENTR	6520.xxx.DBLC	6520.xxx.FD
Exterior Trim	6640.xxx	6640.xxx	6640.xxx.DM
Interior Escutcheon	6520.xxx.KT	6520.xxx.KC	6520.xxx.KN
Knob/Lever	5064.xxx.IMR	5064.xxx.IMR	5064.xxx.IMR
Spindle	0530 - 2.375" Half Spindle	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8325 for 1.75" door	Double	Dummy
Mortise Lock	•	•	
Blocking Ring		•	



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6640.xxx	6520.xxx.KC	6520.xxx.KC	6520.xxx.KE**	
Interior Escutcheon	6520.xxx.KT	6520.xxx.KT	6520.xxx.KC	6520.xxx.KT	6520.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	•	•	•	• Latch & Mortise Bolt or Lock	• Latch or Mortise Lock
Blocking Ring			•		
Turn Knob					

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MORTISE LOCKS

MUST ORDER SEPARATELY

shown in grey


** (All .KE hardware include 6701 ER cover)

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY


shown in grey

ENTRANCE TRIM, MORTISE KENSINGTON



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6526.xxx.RENT (LENT)	Entrance Trim	Set		
6526.xxx.RDBL (LDBL)	Double Cylinder	Set	\$645	\$720
6526.xxx.RFD (LFD)	Full Dummy	Set		
6526.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
6643.xxx	Active Exterior Trim	Each		
6643.xxx.DM	Dummy Exterior Trim	Each	365	410
	Interior Escutcheon –			
6525.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6525.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6525.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6525.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .56" – 1"

Sets	6526.xxx.RENT (LENT)	6526.xxx.RDBL (LDBL)	6526.xxx.RFD (LFD)
Exterior Trim	6643.xxx	6643.xxx	6643.xxx.DM
Interior Escutcheon	6525.xxx.KT	6525.xxx.KC	6525.xxx.KT
Knob/Lever	5108.xxx.LMR (RMR)	5108.xxx.LMR (RMR)	5108.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0533.004 (2.25" Half)	5092 (1.125" Dummy)
Cylinder	8325 for 1.75" door	Double	6761 (Dummy)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	



Designer	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6643.xxx	6525.xxx.KC	6525.xxx.KC	6525.xxx.KE**	
Interior Escutcheon	6525.xxx.KT	6525.xxx.KT	6525.xxx.KC	6525.xxx.KT	6525.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	• (Lever Strength)	• (Lever Strength)	Mortise Bolt or Mortise Lock	Latch or Interior Mortise Lock
Blocking Ring			•		
Turn Knob					

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

** (All .KE hardware include 6701 ER cover)

BALDWIN




Available while supplies last.



Item #	Description	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044 055, 056
6540.xxx.ENTR	Entrance Trim	Set	9.5	
6540.xxx.DBLC	Double Cylinder	Set	\$645	\$720
6540.xxx.FD	Full Dummy	Set		
6540.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6603.xxx	Active Exterior Trim	Each	365	400
6603.xxx.DM	Dummy Exterior Trim	Each		
6763.xxx.KC	Interior Escutcheon – Cut for Cylinder (KC), Double Cylinder	Each		
6763.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6763.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6763.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim width: 2.5"
Trim thickness: .093" – B

Sets	6540.xxx.ENTR	6540.xxx.DBLC	6540.xxx.FD
Exterior Trim	6603.xxx	6603.xxx	6603.xxx.DM
Interior Escutcheon	6763.xxx.KT	6763.xxx.KC	6763.xxx.KN
Knob/Lever	5041.xxx.IMR	5041.xxx.IMR	5041.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8321 for 1.75" door	Double	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	



Designer	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6603.xxx	6763.xxx.KC	6763.xxx.KC	6763.xxx.KE**	
Interior Escutcheon	6763.xxx.KE** (KE is cut for ER or Turn Knob – if standard Turn Knob is desired, order .KT)	6763.xxx.KT	6763.xxx.KC	6763.xxx.KT	6763.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)	•	
Mortise Lock	•	•	•	Mortise Bolt or Mortise Lock	Latch or Interior Mortise Lock
Blocking Ring			•		
Turn Knob	•				

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE
SAN FRANCISCO




Available while supplies last.

030, 031, 033
050, 060, 102
112, 150, 151
190, 260, 264

003,
044, 055
056, 402
412, 452

	Item #	Description	Wt.		
SET	6541.xxx.ENTR	Entrance Trim	Set	4.6	
	6541.xxx.DBLC	Double Cylinder	Set		\$495
	6541.xxx.FD	Full Dummy	Set		\$570
	6541.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
EXT	6975.xxx	Active Exterior Trim only	Each		250
	6975.xxx.DM	Dummy Exterior only	Each		280
INTERIOR		Interior Escutcheon –			
	6975.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
	6975.xxx.KE**	Cut for Emergency Release (KE**)	Each	195	230
	6975.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
	6975.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270
	6975.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair	390	460

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .125" – C

Sets

	6541.xxx.ENTR	6541.xxx.DBLC	6541.xxx.FD
Exterior Trim	6975.xxx.KC	6975.xxx.KC	6975.xxx.KN
Interior Escutcheon	6975.xxx.KT	6975.xxx.KC	6975.xxx.KN
Knob/Lever	5020.xxx.MR (Pair)	5020.xxx.MR (Pair)	5020.xxx.MR (Pair)
Spindle	0520 (3.5" Swivel)	0520 (3.5" Straight)	0510 (3.5" Straight) & 5099.004 (x2)
Cylinder	8322 (1.75" Door)	•	
Mortise Lock	•	•	
Blocking Ring		•	



Designer

	Entrance	Privacy	Passage
Exterior Trim	6975.xxx.KC	6975.xxx.KE**	
Interior Escutcheon	6975.xxx.KT	6975.xxx. (KT or .KP)	6975.xxx.KN (x2)
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Mortise Bolt or Mortise Lock)	• (Latch or Mortise Lock)

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

**(All .KE hardware include 6701 ER cover)


BALDWIN

ENTRANCE TRIM, MORTISE TREMONT



				030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		003, 044, 055 056, 402 412, 452	
Item #	Description	Wt.					
SET	6542.xxx.ENTR	Entrance Trim	Set	9.5			
	6542.xxx.DBLC	Double Cylinder	Set		\$795	\$870	
	6542.xxx.FD	Full Dummy	Set				
EXT	6542.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		1590†	—	
	6605.xxx.BB75	Entrance Back-to-Back	Set				
	6605.xxx.BB30	Entrance Back-to-Back	Set		1095	1170	
	6605.xxx.BBFD	Dummy Back-to-Back	Set				
	6605.xxx	Active Exterior Trim	Each		590	635	
	6605.xxx.DM	Dummy Exterior Trim	Each				
INTERIOR		Interior Escutcheon –					
	6796.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each				
	6796.xxx.KE**	Cut for Emergency Release (KE**)	Each		195	230	
	6796.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each				
	6796.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270	
	6796.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair		390	460	

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Trim width: 3.3"
Trim thickness: .75" – J

Sets

	6542.xxx.ENTR	6542.xxx.DBLC	6542.xxx.FD	6605.xxx.BB75 (BB30, BBFD)
Exterior Trim	6605.xxx	6605.xxx	6605.xxx.DM	6605.xxx. (x2)
Interior Escutcheon	6796.xxx.KT	6796.xxx.KC	6796.xxx.KN	
Knob/Lever	5020.xxx.IMR	5020.xxx.IMR	5020.xxx.IMR	
Spindle	0531 (2.875" Half)	0531 (2.875" Half)	5077 (1.5" Double)	
Cylinder	8326 (1.75" Door)	(Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6605.xxx	6796.xxx.KC	6796.xxx.KC	6796.xxx.KE**	
Interior Escutcheon	6796.xxx.KE** (KE is cut for ER or Turn Knob – if standard Turn Knob is desired, order .KT)	6796.xxx.KT	6796.xxx.KC	6796.xxx.KT or .KP	6796.xxx.KN (x2)
Knob/Lever	5162.xxx.RMR (LMR) (Lever)	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	•	•	•	• (Mortise Bolt or Mortise Lock)	• (Latch or Interior Mortise Lock)
Blocking Ring			•		
Turn Knob	•				

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)


MUST ORDER SEPARATELY
shown in grey

ENTRANCE TRIM, MORTISE LANCASTER / BOSTON



Item #	Description	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044 055, 056
SET	6543.xxx.ENTR	Entrance Trim – Lancaster	Set	9.5
	6543.xxx.DBLC	Double Cylinder	Set	\$645
	6543.xxx.FD	Full Dummy	Set	\$720
	6543.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290
	6635.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set	
EXT	6635.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set	1045
	6635.xxx.BBFD	Dummy Back-to-Back	Set	1120
SET	6635.xxx	Active Exterior Trim only	Each	365
	6635.xxx.DM	Dummy Exterior only	Each	400
	6555.xxx.ENTR	Entrance Trim – Boston	Set	4.2
	6555.xxx.DBLC	Double Cylinder	Set	495
	6555.xxx.FD	Full Dummy	Set	570
INTERIOR	6555.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990
		Interior Escutcheon –		
	6797.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each	
	6797.xxx.KE**	Cut for Emergency Release (KE**)	Each	195
	6797.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	230
	6797.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230
	6797.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair	390

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Lancaster Sets

	6543.xxx.ENTR	6543.xxx.DBLC	6543.xxx.FD	6635.xxx.BB75 (BB30, BBFD)
Exterior Trim	6635.xxx	6635.xxx	6635.xxx.DM	6635.xxx (x2)
Interior Escutcheon	6797.xxx.KT	6797.xxx.KC	6797.xxx.KN	
Knob/Lever	5000.xxx.IMR	5000.xxx.IMR	5000.xxx.IMR	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8321 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•

Trim width: 2.5"
Trim thickness: .093" – B

Boston Sets

	6555.xxx.ENTR	6555.xxx.DBLC	6555.xxx.FD
Exterior Trim	6797.xxx.KC	6797.xxx.KC	
Interior Escutcheon	6797.xxx.KT	6797.xxx.KC	6797.xxx.KN (x2)
Knob/Lever	5000.xxx.MR (Pair)	5000.xxx.MR (Pair)	5000.xxx.MR (Pair)
Spindle	0520 (3.5" Swivel)	0520 (3.5" Swivel)	0515 (3.5" Straight Spindle)
Cylinder	•	• (Double)	
Mortise Lock	•	•	
Blocking Ring		•	

REQUIRED —

Designer

	Lancaster Entrance	Boston Privacy
Exterior Trim	6635.xxx	6797.xxx.KE**
Interior Escutcheon	6797.xxx.KT	6797.xxx.KT or .KP
Knob/Lever	5106.xxx.RMR (.LMR)	Pair
Spindle	•	•
Cylinder	•	•
Mortise Lock	• (Lever Strength)	• (Lever Strength)
Blocking Ring		
Turn Knob		

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey


** (All .KE hardware include 6701 ER cover)

BALDWIN



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6544.xxx.RENT (LENT)	Entrance Trim – Hamilton	Set	9.0	
6544.xxx.RDBL (LDBL)	Double Cylinder	Set	\$795	\$870
6544.xxx.RFD (LFD)	Full Dummy	Set		
6544.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1590†	1740†
6622.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		
6622.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set	1095	1170
6622.xxx.BBFD	Dummy Back-to-Back	Set		
6622.xxx	Active Exterior Trim only	Each	590	635
6622.xxx.DM	Dummy Exterior only	Each		
6951.xxx.ENTR	Entrance Trim – Stanford	Set	6.0	
6951.xxx.DBLC	Double Cylinder	Set	495	570
6951.xxx.FD	Full Dummy	Set		
6951.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
	Interior Escutcheon –			
6791.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6791.xxx.KE**	Cut for Emergency Release (KE**)	Each		
6791.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	195	230
6791.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

Hamilton Sets	6544.xxx.RENT (LENT)	6544.xxx.RDBL (LDBL)	6544.xxx.RFD (LFD)	6622.xxx.BB75 (BB30, BBFD)
Exterior Trim	6622.xxx	6622.xxx	6622.xxx.DM	6622.xxx (x2)
Interior Escutcheon	6791.xxx.KT	6791.xxx.KC	6791.xxx.KN	
Knob/Lever	5152.xxx.LMR (RMR)	5152.xxx.LMR (RMR)	5152.xxx.LMR (RMR)	
Spindle	0531 (2.875" Half)	0531 (2.875" Half)	5077 (1.5" Dummy)	
Cylinder	8326 for 1.75" door	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	•		•
Blocking Ring		•		•

Trim width: 3.375"
Trim thickness: .75" – J

Stanford Sets	6951.xxx.ENTR	6951.xxx.DBLC	6951.xxx.FD
Exterior Trim	6791.xxx.KC	6791.xxx.KC	
Interior Escutcheon	6791.xxx.KT	6791.xxx.KC	6791.xxx.KN (x2)
Knob/Lever	5152.xxx.MR (Pair)	5152.xxx.MR (Pair)	5152.xxx.MR (Pair)
Spindle	0524 (5.5" Swivel)	0524 (5.5" Swivel)	0514 (5.5" Straight)
Cylinder	•	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

REQUIRED —

Designer	Hamilton Entrance	Stanford Privacy
Exterior Trim	6622.xxx	6791.xxx.KE**
Interior Escutcheon	6791.xxx.KT	6791.xxx.KT
Knob/Lever	5064.xxx.LMR	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	•	• Latch & Mortise Bolt or Lock
Blocking Ring		

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey


ENTRANCE TRIM, MORTISE
NASHVILLE



MORTISE LOCKS

Item #	Description	Wt.	030, 031	003,
			050, 060, 102	044, 055
			112, 150, 151	056, 402
			190, 260, 264	412, 452
SET	6547.xxx.ENTR	Entrance Trim	Set	6.1
	6547.xxx.DBLC	Double Cylinder	Set	\$495
	6547.xxx.FD	Full Dummy	Set	\$570
	6547.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†
EXT	6547.xxx.DM	Dummy Exterior only	Each	215
INTERIOR	Interior Escutcheon –			
	6793.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each	
	6793.xxx.KE**	Cut for Emergency Release (KE)	Each	195
	6793.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	230
	6793.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230
	6793.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair	390

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .25" – E

Sets	6547.xxx.ENTR	6547.xxx.DBLC	6547.xxx.FD
Exterior Trim	6793.xxx.KC	6793.xxx.KC	
Interior Escutcheon	6793.xxx.KT	6793.xxx.KC	6793.xxx.KN (x2)
Knob/Lever	5020.xxx.MR (Pair)	5020.xxx.MR (Pair)	5020.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	8322 (1.75" Door)	8321 (1.75" Door)	5099.004 (x2)
Mortise Lock	•	•	
Blocking Ring		•	



Designer	Entrance	Privacy	Passage
Exterior Trim	6793.xxx.KC	6793.xxx.KE**	
Interior Escutcheon	6793.xxx.KT	6793.xxx.KT or .KP	6793.xxx.KN (x2)
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Latch & Mortise Bolt or Mortise Lock)	• (Latch or Interior Mortise Lock)
Blocking Ring			
Turn Knob			

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPERATELY
shown in grey

** (All .KE hardware include 6701 ER cover)

BALDWIN


ENTRANCE TRIM, MORTISE WILLIAMSBURG / GEORGETOWN™



Item #	Description	Set	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6549.xxx.RENT (LENT)	Entrance Trim – Williamsburg	Set	9.5		
6549.xxx.RDBL (LDBL)	Double Cylinder	Set		\$645	\$720
6549.xxx.RFD (LFD)	Full Dummy	Set			
6549.xxx.ENFD [†]	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		1290	—
6628.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		1045	1120
6628.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set			
6628.xxx.BBFD	Dummy Back-to-Back	Set			
6628.xxx	Active Exterior Trim only	Each		365	400
6628.xxx.DM	Dummy Exterior only	Each			
6550.xxx.RENT (LENT)	Entrance Trim – Georgetown	Set			
6550.xxx.RDBL (LDBL)	Double Cylinder	Set		495	570
6550.xxx.RFD (LFD)	Full Dummy	Set			
6550.xxx.ENFD [†]	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990	—
	Interior Escutcheon –				
6505.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each			
6505.xxx.RKE (LKE)	Cut for Emergency Release (KE)	Each		195	230
6505.xxx.RKN (LKN)	Cut for Knob (KN), Passage/Dummy	Each			
6505.xxx.RKT (LKT)	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

Williamsburg Sets	6549.xxx.RENT (LENT)	6549.xxx.RDBL (LDBL)	6549.xxx.RFD (LFD)	6622.xxx.BB75 (BB30, BBFD)
Exterior Trim	6628.xxx	6628.xxx	6628.xxx.DM	6628.xxx (x2)
Interior Escutcheon	6505.xxx.LKT (RKT)	6505.xxx.KC	6505.xxx.LKN (RKN)	
Knob/Lever	5000.xxx.IMR	5000.xxx.IMR	5000.xxx.IMR	
Spindle	0531 (2.875" Half)	0531 (2.875" Half)	5077 (1.5" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	• (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		

Trim width: 2.75"
Trim thickness: .3125" – F
Interior trim thickness: .875" – K

NOTE: NOT available for Reverse Bevel conditions
Not available for doors thicker than 3"

Georgetown Sets	6550.xxx.RENT (LENT)	6550.xxx.RDBL (LDBL)	6550.xxx.RFD (LFD)
Cylinder Collar	6757.xxx	6757.xxx	
Rose	5002.xxx.I	5002.xxx.I	5002.xxx.I
Interior Escutcheon	6505.xxx.LKT	6505.xxx.KC	6505.xxx.LKN
Knob/Lever	5000.xxx.MR (Pair)	5000.xxx.MR (Pair)	5000.xxx.MR (Pair)
Spindle	0526 (4.5" Swivel)*	0526 (4.5" Swivel)*	0512 (4.5" Straight)*
Cylinder	•	• (Double)	
Mortise Lock	•	•	
Blocking Ring		•	

*Spindle shown for 1.75" door thickness. For other door thicknesses, please contact Baldwin customer service.



Designer	Williamsburg Entrance	Georgetown Privacy
Exterior Trim	6628.xxx	
Interior Escutcheon	6505.xxx.LKT	6505.xxx.LKT
Knob/Lever	5106.xxx.RMR (LMR)	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• Latch & Mortise Bolt or Lock
Turn Knob		
Other		ER Trim, Rose (for Exterior)

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey


ENTRANCE TRIM, MORTISE
BALTIMORE



MORTISE LOCKS

Item #	Description	Wt.	030, 031, 033	050, 060, 102	112, 150, 151	190, 260, 264	003, 044	055, 056
			030, 031, 033	050, 060, 102	112, 150, 151	190, 260, 264	003, 044	055, 056
6552.xxx.ENTR	Entrance Trim	Set	3.6					
6552.xxx.DBLC	Double Cylinder	Set		\$495			\$570	
6552.xxx.FD	Full Dummy	Set						
6552.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990				
6552.xxx.DM	Dummy Exterior only	Each		215			250	
Interior Escutcheon –								
6767.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each						
6767.xxx.KE**	Cut for Emergency Release (KE)	Each		195			230	
6767.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each						
6767.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230			270	
6767.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair		390			460	

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .1875" – D

Sets	6552.xxx.ENTR	6552.xxx.DBLC	6552.xxx.FD
Exterior Trim	6767.xxx.KC	6767.xxx.KC	6767.xxx.KN
Interior Escutcheon	6767.xxx.KT	6767.xxx.KC	6767.xxx.KN
Knob/Lever	5015.xxx.MR (Pair)	5015.xxx.MR (Pair)	5015.xxx. MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	5099.004 (x2)
Cylinder	8322 for 1.75" door	• (Double)	
Mortise Lock	•		
Blocking Ring		•	



Designer	Entrance	Privacy	Passage
Exterior Trim	6767.xxx.KC	6767.xxx.KE**	
Interior Escutcheon	6767.xxx.KT	6767.xxx.KT or .KP	6767.xxx.KN (x2)
Knob/Lever	5106.xxx.MR (Pair)	5015.xxx.MR (Pair)	5015.xxx.MR (Pair)
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Latch & Mortise Bolt or Mortise Lock)	• (Latch or Interior Mortise Lock)
Blocking Ring			
Turn Knob			


REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPERATELY
shown in grey

**(All .KE hardware include 6701 ER cover)

BALDWIN



Sets

	6557.xxx.ENTR	6557.xxx.DBLC	6557.xxx.FD
Exterior Trim	6606.xxx	6606.xxx	6606.xxx.DM
Interior Escutcheon	6774.xxx.KT	6774.xxx.KC	6774.xxx.KN
Knob/Lever	5005.xxx.IMR	5005.xxx.IMR	5005.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8321 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	




Designer

Entrance

Exterior Trim	6606.xxx
Interior Escutcheon	6774.xxx.KT
Knob/Lever	5132.xxx.RMR (LMR)
Spindle	•
Cylinder	•
Mortise Lock	• (Lever Strength)
Blocking Ring	
Turn Knob	

Item #	Description	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044 055, 056
6557.xxx.ENTR	Entrance Trim	Set	9.5	
6557.xxx.DBLC	Double Cylinder	Set	\$645	\$720
6557.xxx.FD	Full Dummy	Set		
6557.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6606.xxx	Active Exterior Trim	Each	365	400
6606.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon —			
6774.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6774.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6774.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6774.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim width: 3"
Trim thickness: .093" – B

MORTISE LOCKS


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE LEXINGTON / WILMINGTON



Trim width: 2.25"
Trim thickness: .3125" – F

Lexington Sets	6560.xxx.ENTR	6560.xxx.DBLC	6560.xxx.FD	6621.xxx.BB75 (BB30, BBFD)
Exterior Trim	6621.xxx	6621.xxx	6621.xxx.DM	6621.xxx (x2)
Interior Escutcheon	6795.xxx.KT	6795.xxx.KC	6795.xxx.KN	
Knob/Lever	5025.xxx.IMR	5025.xxx.IMR	5025.xxx.IMR	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•



Wilmington Sets	6546.xxx.ENTR	6546.xxx.DBLC	6546.xxx.FD
Exterior Trim	6795.xxx.KC	6795.xxx.KC	
Interior Escutcheon	6795.xxx.KT	6795.xxx.KC	6795.xxx.KN (x2)
Knob/Lever	5025.xxx.MR (Pair)	5025.xxx.MR (Pair)	5025.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	•	• (Double)	
Mortise Lock	•	•	
Blocking Ring		•	

REQUIRED —

REQUIRED —

Designer	Lexington Entrance	Wilmington Privacy
Exterior Trim	6621.xxx	6795.xxx.KE**
Interior Escutcheon	6795.xxx.KT	6795.xxx.KT
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• (Latch & Bolt or Lock)
Blocking Ring		
Turn Knob		


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY
shown in grey

** (All .KE hardware include 6701 ER cover)


BALDWIN

ENTRANCE TRIM, MORTISE NEW YORK / DETROIT



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6562.xxx.ENTR	Entrance Trim – New York	Set	9.5	
6562.xxx.DBLC	Double Cylinder	Set	\$645	\$720
6562.xxx.FD	Full Dummy	Set		
6562.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6608.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		
6608.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set	1045	1120
6608.xxx.BBFD	Dummy Back-to-Back	Set		
6608.xxx	Active Exterior Trim only	Each	365	400
6608.xxx.DM	Dummy Exterior only	Each		
6548.xxx.ENTR	Entrance Trim – Detroit	Set	4.5	
6548.xxx.DBLC	Double Cylinder	Set	495	570
6548.xxx.FD	Full Dummy	Set		
6548.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990	—
	Interior Escutcheon –			
6503.xxx.KCOS (KCIS)	Cut for Cylinder (KC), Double Cylinder	Each		
6503.xxx.KEOS (KEIS)	Cut for Emergency Release (KE**)	Each	195	230
6503.xxx.KNOS (KNIS)	Cut for Knob (KN), Passage/Dummy	Each		
6503.xxx.KTOS (KTIS)	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

New York Sets

	6562.xxx.ENTR	6562.xxx.DBLC	6562.xxx.FD	6608.xxx.BB75 (BB30, BBFD)
Exterior Trim	6608.xxx	6608.xxx	6608.xxx.DM	6608.xxx (x2)
Interior Escutcheon	6503.xxx.KTIS	6503.xxx.KCIS	6503.xxx.KNIS	
Knob/Lever	5041.xxx.JMR	5041.xxx.RMR (LMR)	5041.xxx.JMR	
Spindle	0530 (2.375" Half)	0530 (2.875" Half)	5092 (1.125" Dummy)	
Cylinder	8323 for 1.75" door	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•

Trim width: 1.625"
Trim thickness: .25" – E

Detroit Sets

	6548.xxx.ENTR	6548.xxx.DBLC	6548.xxx.FD
Exterior Trim	6503.xxx.KCOS	6503.xxx.KCOS	6503.xxx.KNOS
Interior Escutcheon	6503.xxx.KTIS	6503.xxx.KCIS	6503.xxx.KNIS
Knob/Lever	5041.xxx.MR (Pair)	5041.xxx.MR (Pair)	5041.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	•	• (Double)	
Mortise Lock	•	•	
Blocking Ring		•	
Adaptor			5099.004 (x2)

REQUIRED —

Designer

	New York Entrance	Detroit Privacy
Exterior Trim	6608.xxx 6503.xxx.KEIS (KEIS is cut for ER or Turn Knob – if standard Turn Knob is desired, order .KT)	6503.xxx.KEOS 6503.xxx.KTIS
Interior Escutcheon		
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• Latch & Mortise Bolt or Lock
Blocking Ring		
Turn Knob	•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE
CHICAGO




MORTISE LOCKS



		030, 031 050, 060, 102 112, 150, 151 190, 260, 264		003, 044 055, 056
Item #	Description	Wt.		
SET	6563.xxx.ENTR	Entrance Trim	Set	9.5
	6563.xxx.DBLC	Double Cylinder	Set	\$645
	6563.xxx.FD	Full Dummy	Set	\$720
EXT	6563.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290
	6614.xxx	Active Exterior Trim	Each	365
	6614.xxx.DM	Dummy Exterior Trim	Each	400
INTERIOR	Interior Escutcheon –			
	6763.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each	
	6763.xxx.KE**	Cut for Emergency Release (KE)	Each	195
	6763.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	230
	6763.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230



NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Sets

	6563.xxx.ENTR	6563.xxx.DBLC	6563.xxx.FD
Exterior Trim	6614.xxx	6614.xxx	6614.xxx.DM
Interior Escutcheon	6763.xxx.KT	6763.xxx.KC	6763.xxx.KN
Knob/Lever	5041.xxx.IMR	5041.xxx.IMR	5041.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8321 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 2.5"
Trim thickness: .093" – B



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6614.xxx	6763.xxx.KC	6763.xxx.KC	6763.xxx.KE**	
Interior Escutcheon	6763.xxx.KE** (KE is cut for ER or Turn Knob – if standard Turn Knob is desired, order .KT)	6763.xxx.KT	6763.xxx.KC	6763.xxx.KT	6763.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)	•	
Mortise Lock	•	•	•	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•		
Turn Knob	•				

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

**(All .KE hardware include 6701 ER cover)

BALDWIN




Available while supplies last.



Item #	Description	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044 055, 056
6565.xxx.RENT (.LENT)	Entrance Trim	Set	9.5	
6565.xxx.RDBL	Double Cylinder	Set	\$645	\$720
6565.xxx.RFD	Full Dummy	Set		
6565.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6634.xxx	Active Exterior Trim	Each	365	400
6634.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon –			
6642.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6642.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6642.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6642.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Sets

	6565.xxx.RENT (.LENT)	6565.xxx.RDBL (LDBL)	6565.xxx.RFD (LFD)
Exterior Trim	6634.xxx	6634.xxx	6634.xxx
Interior Escutcheon	6642.xxx.KT	6642.xxx.KC	6642.xxx.KN
Knob/Lever	5132.xxx.LMR (RMR)	5132.xxx.LMR (RMR)	5132.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8321 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	•
Blocking Ring	•	•	•

Trim width: 1.875"
Trim thickness: .093" – B



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6634.xxx	6642.xxx.KC	6642.xxx.KC	6642.xxx.KE**	
Interior Escutcheon	6642.xxx.KT	6642.xxx.KT	6642.xxx.KC	6642.xxx.KT	6642.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• Latch & Bolt or Lock)	• (Latch or Lock)
Blocking Ring			•		
Turn Knob					

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE TRENTON / READING



Trenton Sets

	6567.xxx.ENTR	6567.xxx.DBLC	6567.xxx.FD
Exterior Trim	6602.xxx	6602.xxx	6602.xxx.DM
Interior Escutcheon	6508.xxx.KT	6508.xxx.KC	6508.xxx.KN
Knob/Lever	5015.xxx.IMR	5015.xxx.IMR	5015.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8322 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	


Reading Sets

	6551.xxx.ENTR	6551.xxx.DBLC	6551.xxx.FD
Exterior Trim	6765.xxx.KC	6765.xxx.KC	
Interior Escutcheon	6765.xxx.KT	6765.xxx.KC	6765.xxx.KN (x2)
Knob/Lever	5015.xxx.MR (Pair)	5015.xxx.MR (Pair)	5015.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	•	• (Double)	5099.004 (x2)
Mortise Lock	•	•	
Blocking Ring		•	

Designer

	Trenton Entrance	Reading Privacy
Exterior Trim	6602.xxx	6765.xxx.KE**
Interior Escutcheon	6508.xxx.KT	6765.xxx.KT
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• (Latch & Bolt or Lock)
Turn Knob		
Other		

REQUIRED —



*UNIT OF MEASURE: inches [mm]

Trim width: 2.25"
Trim thickness: .1875" – D



SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey


** (All .KE hardware include 6701 ER cover)

BALDWIN



Item #	Description	Set	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6570.xxx.ENTR	Entrance Trim	Set	9.5		
6570.xxx.DBLC	Double Cylinder	Set		\$645	\$720
6570.xxx.FD	Full Dummy	Set			
6570.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		1290	—
6619.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		1045	1120
6619.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set			
6619.xxx	Active Exterior Trim	Each		365	400
6619.xxx.DM	Dummy Exterior Trim	Each			
	Interior Escutcheon –				
6513.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each			
6513.xxx.KE**	Cut for Emergency Release (KE)	Each		195	230
6513.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each			
6513.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270
6513.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair		390	460

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.




*UNIT OF MEASURE: inches [mm]

Trim width: 2.25"
Trim thickness: .375" – G

Sets

	6570.xxx.ENTR	6570.xxx.DBLC	6570.xxx.FD	6619.xxx.BB75 (BB30, BBFD)
Exterior Trim	6619.xxx	6619.xxx	6619.xxx.DM	6619.xxx (x2)
Interior Escutcheon	6513.xxx.KT	6513.xxx.KC	6513.xxx.KN	
Knob/Lever	5073.xxx.IMR	5073.xxx.IMR	5073.xxx.IMR	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8323 for 1.75" door	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6619.xxx	6513.xxx.KC	6513.xxx.KC	6513.xxx.KE**	
Interior Escutcheon	6513.xxx.KE** (.KE is cut for ER or Turn Knob – if standard Turn Knob is desired, order .KT)	6513.xxx.KT	6513.xxx.KC	6513.xxx.KT or .KP	6513.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•		
Turn Knob	•				

REQUIRED

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY


shown in grey

ENTRANCE TRIM, MORTISE
CONCORD



				030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		003, 044 055, 056
Item #	Description	Wt.				
SET	6571.xxx.ENTR	Entrance Trim	Set	3.8		
	6571.xxx.DBLC	Double Cylinder	Set		\$495	\$570
	6571.xxx.FD	Full Dummy	Set			
EXT	6571.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990†	—
	6604.xxx	Active Exterior Trim only	Each		215	250
INTERIOR	6604.xxx.DM	Dummy Exterior only	Each			
	6794.xxx.KC	Interior Escutcheon – Cut for Cylinder (KC), Double Cylinder	Each			
	6794.xxx.KE	Cut for Emergency Release (KE)	Each		195	230
	6794.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each			
	6794.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim width: 2.5"
Trim thickness: .25" – E

Sets	6571.xxx.ENTR	6571.xxx.DBLC	6571.xxx.FD
Exterior Trim	6604.xxx	6604.xxx	6604.xxx.DM
Interior Escutcheon	6794.xxx.KT	6794.xxx.KC	6794.xxx.KN
Knob/Lever	5000.xxx.IMR	5000.xxx.IMR	5000.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	



Designer	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6604.xxx	6794.xxx.KC	6794.xxx.KC	6794.xxx.KE**	
Interior Escutcheon	6794.xxx.KT	6794.xxx.KT	6794.xxx.KC	6794.xxx.KT	6794.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•		•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt or Lock)	• (Latch & Bolt or Lock)
Blocking Ring			•		
Turn Knob					

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY
shown in grey

** (All .KE hardware include 6701 ER cover)


BALDWIN

ENTRANCE TRIM, MORTISE SPRINGFIELD



Item #	Description	Set	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6573.xxx.ENTR	Entrance Trim	Set	9.5		
6573.xxx.DBLC	Double Cylinder	Set		\$495	\$570
6573.xxx.FD	Full Dummy	Set			
6573.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990†	1140†
6628.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		795	870
6628.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set			
6628.xxx.BBFD	Dummy Back-to-Back	Set			
6628.xxx	Active Exterior Trim only	Each		215	250
6628.xxx.DM	Dummy Exterior only	Each			
	Interior Escutcheon –				
6798.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each			
6798.xxx.KE**	Cut for Emergency Release (KE)	Each		195	230
6798.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each			
6798.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270
6798.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair		390	460

†.ENFD only available in 050 & 112, to ensure a finish match on all components.
 **All .KE hardware include 6701 ER cover



*UNIT OF MEASURE: inches [mm]

Sets

	6573.xxx.ENTR	6573.xxx.DBLC	6573.xxx.FD	6628.xxx.BB75 (BB30, BBFD)
Exterior Trim	6628.xxx	6628.xxx	6628.xxx.DM	6628.xxx (x2)
Interior Escutcheon	6798.xxx.KT	6798.xxx.KC	6798.xxx.KN	
Knob/Lever	5025.xxx.IMR	5025.xxx.IMR	5025.xxx.IMR	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•

Trim width: 2.25"
 Trim thickness: .3125" – F



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6628.xxx	6798.xxx.KC	6798.xxx.KC	6798.xxx.KE**	
Interior Escutcheon	6798.xxx.KT	6798.xxx.KT	6798.xxx.KC	6798.xxx.KT or .KP	6798.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt, Lock, Latch)	• (Latch or Interior Lock)
Blocking Ring			•		
Turn Knob					

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

*QUICK SHIP is available in limited functions and finishes.
 For complete listing, please refer to page 284.

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE
SANTA MONICA




030, 031, 033
050, 060, 102
112, 150, 151
190, 260, 264

003,
044, 055
056, 402
412, 452

Item #	Description	Set	Wt.	
6915.xxx.ENTR	Entrance Trim	Set	9.5	
6915.xxx.DBLC	Double Cylinder	Set		\$495
6915v.xxx.FD	Full Dummy	Set		\$570
6915.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990†
6915.xxx.LDM	Dummy Exterior Trim	Each		215
6915.xxx.RDM	Dummy Exterior Trim	Each		250
6530.xxx.KCOS	Exterior Trim Plate KC	Each		195
6530.xxx.KEOS	Exterior Trim Plate KE	Each		230
6530.xxx.KNOS	Exterior Trim Plate KN	Each		230
6530.xxx.KTOS	Exterior Trim Plate KT	Each		270
6530.xxx.KCIS	Interior Trim Plate KC	Each		195
6530.xxx.KEIS	Interior Trim Plate KE	Each		230
6530.xxx.KNIS	Interior Trim Plate KN	Each		230
6530.xxx.KTIS	Interior Trim Plate KT	Each		270

†.ENFD only available in 050 & 112, to ensure a finish match on all components.
** 030 not available with entry trim or KC escutcheons



Trim width: 1.7"
Trim thickness: .37" – G

Sets	6915.xxx.ENTR	6915.xxx.DBLC	6915.xxx.FD
Exterior Trim	6530.xxx.KCOS	6530.xxx.KCOS	6530.xxx.KNOS
Interior Escutcheon	6530.xxx.KTIS	6530.xxx.KCIS	6530.xxx.KNIS
Knob/Lever	L022.xxx.MR	L022.xxx.MR	L022.xxx.MR
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 & 5099 (x2)
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	



Designer	Entrance	Privacy	Passage
Exterior Trim	6530.xxx.KCOS	6530.xxx.KEOS**	6530.xxx.KNOS
Interior Escutcheon	6530.xxx.KTIS	6530.xxx.KTIS	6530.xxx.KNIS
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	• (Latch & Bolt or Lock)	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			
Turn Knob			

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY
shown in grey

BALDWIN


ENTRANCE TRIM, MORTISE PALM SPRINGS™ ¾ ESCUTCHEON



Item #	Description	Set	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6920.xxx.RENT (LENT)	Entrance Trim	Set	9.5		
6920xxx.RDBL (LDBL)	Double Cylinder	Set		\$495	\$570
6920.xxx.RFD (LFD)	Full Dummy	Set			
6920.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990	N/A
6615.xxx	Active Exterior Trim	Each		215	250
6615.xxx.DM	Dummy Exterior Trim	Each			
	Interior Escutcheon –				
6715.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each			
6715.xxx.KE**	Cut for Emergency Release (KE)	Each		195	230
6715.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each			
6715.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

Sets

	6920.xxx.RENT (LENT)	6920.xxx.RDBL (LDBL)	6920.xxx.RFD (LFD)
Exterior Trim	6615.xxx	6615.xxx	6615.xxx.DM
Interior Escutcheon	6715.xxx.KT	6715.xxx.KC	6715.xxx.KN
Knob/Lever	L024.xxx.LMR (RMR)	L024.xxx.LMR (RMR)	L024.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8325 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 2.84"
Trim thickness: .53" – H1



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6615.xxx	6715.xxx.KC	6715.xxx.KC	6715.xxx.KE**	
Interior Escutcheon	6715.xxx.KT	6715.xxx.KT	6715.xxx.KC	6715.xxx.KT	6715.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•	Other- ER Trim	
Turn Knob					

REQUIRED –

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey


** (All .KE hardware include 6701 ER cover)

ENTRANCE TRIM, MORTISE
PALM SPRINGS™ FULL ESCUTCHEON



		030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		003, 044, 055 056, 402 412, 452	
Item #	Description	Wt.			
SET	6921.xxx.RENT (LENT)	Entrance Trim	Set	9.5	
	6921.xxx.RDBL (LDBL)	Double Cylinder	Set	\$645	\$720
	6921.xxx.RFD (LFD)	Full Dummy	Set		
	6921.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	N/A
EXT	6616.xxx	Active Exterior Trim	Each	365	400
	6616.xxx.DM	Dummy Exterior Trim	Each		
INTERIOR	Interior Escutcheon –				
	6715.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
	6715.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
	6715.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
	6715.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]



Sets	6921.xxx.RENT (LENT)	6921.xxx.RDBL (LDBL)	6921.xxx.RFD (LFD)
Exterior Trim	6616.xxx	6616.xxx	6616.xxx.DM
Interior Escutcheon	6715.xxx.KT	6715.xxx.KC	6715.xxx.KN
Knob/Lever	L024.xxx.LMR (RMR)	L024.xxx.LMR (RMR)	L024.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8325 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 2.84"
Trim thickness: .53" – H1



REQUIRED —

Designer	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6616.xxx	6715.xxx.KC	6715.xxx.KC	6715.xxx.KE	
Interior Escutcheon	6715.xxx.KT	6715.xxx.KT	6715.xxx.KC	6715.xxx.KT	6715.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•	Other- ER Trim	
Turn Knob					

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"


MUST ORDER SEPARATELY
shown in grey

BALDWIN



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6922.xxx.ENTR	Entrance Trim	Set	3.3	
6922.xxx.DBLC	Double Cylinder	Set	\$495	\$570
6922.xxx.FD	Full Dummy	Set		
6922.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	1140†
6922.xxx.RDM (LDM)	Dummy Exterior only	Each	215	250
	Interior Escutcheon –			
6980.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6980.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6980.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6980.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .125" – C

MORTISE LOCKS

Sets

	6922.xxx.ENTR	6922.xxx.DBLC	6922.xxx.FD
Exterior Trim	6980.xxx.KC	6980.xxx.KC	6980.xxx.KN
Interior Escutcheon	6980.xxx.KT	6980.xxx.KC	6980.xxx.KN
Knob/Lever	5101.xxx.MR (Pair)	5101.xxx.MR (Pair)	5101.xxx.MR (Pair)
Spindle	0520 (3.5" Swivel)	0520 (3.5" Swivel)	0510.004 (3.5" Straight)
Cylinder	8322 (1.75" Door)	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	



Designer

	Entrance	Privacy	Passage
Exterior Trim	6980.xxx.KC	6980.xxx.KE**	
Interior Escutcheon	6980.xxx.KT	6980.xxx.KT	6980.xxx.KN (x2)
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	• (Latch & Bolt or Lock)	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			
Turn Knob			

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

** (All .KE hardware include 6701 ER cover)

ENTRANCE TRIM, MORTISE DALLAS / DENVER



2679 pull is angled ~ 15° for use with narrow backset (1.5" & 2") mortise locks, may also be used with 2.5" & 2.75" mortise locks



Dallas Sets	6931.xxx.RENT (LENT)	6931.xxx.RDBL (LDBL)	6931.xxx.RFD (LFD)
Exterior Trim	6953.xxx.R	6953.xxx.R	6953.xxx.RDM
Interior Escutcheon	6988.xxx.KT	6988.xxx.KC	6988.xxx.KN
Knob/Lever	5105.xxx.LMR (RMR)	5105.xxx.LMR (RMR)	5105.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8321 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	




Denver Sets	6940.xxx.ENTR	6940.xxx.DBLC	6940.xxx.FD
Exterior Trim	6988.xxx.KC	6988.xxx.KC	6940.xxx.RDM
Interior Escutcheon	6988.xxx.KT	6988.xxx.KC	6988.xxx.KN
Knob/Lever	5105.xxx.MR (Pair)	5105.xxx.MR (Pair)	
Spindle	0520 (3.5" Swivel)	0520 (3.5" Swivel)	0510 (3.5" Straight)
Cylinder	•	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

REQUIRED —

Item #	Description	Wt.	030, 031 050, 060, 102 112, 150, 151 190, 260, 264	003, 044 055, 056
6931.xxx.RENT (LENT)	Entrance Trim — Dallas, w/ angled pull	Set	9.5	
6931.xxx.RDBL (LDBL)	Double Cylinder — w/ angled pull	Set	\$645	\$720
6931.xxx.RFD (LFD)	Full Dummy — w/ angled pull	Set		
6931.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6953.xxx.R (L)	Active Exterior Trim only — w/ angled pull	Each	365	400
6953.xxx.RDM (LDM)	Dummy Exterior only — w/ angled pull	Each		
6940.xxx.ENTR	Entrance Trim — Denver	Set		
6940.xxx.DBLC	Double Cylinder	Set	\$495	570
6940.xxx.FD	Full Dummy	Set		
6940.xxx.RDM (LDM)	Dummy Exterior only	Each	215	250
	Interior Escutcheon —			
6988.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6988.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6988.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6988.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

Trim width: 1.625"
Trim thickness: .093" — B

Designer	Dallas Entrance	Denver Privacy
Exterior Trim	6953.xxx.R (L)	6988.xxx.KE**
Interior Escutcheon	6988.xxx.KT	6988.xxx.KT
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	•	• Latch & Mortise Bolt or Lock
Blocking Ring		
Turn Knob		


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY


shown in grey

BALDWIN



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6942.xxx.ENTR	Entrance Trim	Set	3.0	
6942.xxx.DBLC	Double Cylinder	Set	\$495	\$570
6942.xxx.FD	Full Dummy	Set		
6942.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990	—
6942.xxx.RDM (LDM)	Dummy Exterior only	Each	215	250
Interior Escutcheon –				
6986.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6986.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6986.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6986.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Sets

	6942.xxx.ENTR	6942.xxx.DBLC	6942.xxx.FD
Exterior Trim	6986.xxx.KC	6986.xxx.KC	6986.xxx.KN
Interior Escutcheon	6986.xxx.KT	6986.xxx.KC	6986.xxx.KN
Knob/Lever	5152.xxx.MR (Pair)	5152.xxx.MR (Pair)	5152.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	8322 (1.75" Door)	8321 (1.75" Door)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		• 8440.xxx.1	

Trim thickness: .125" – C

Designer

	Entrance	Privacy	Double Cylinder
Exterior Trim	6986.xxx.KC	6986.xxx.KE**	
Interior Escutcheon	6986.xxx.KT	6986.xxx.KT	6986.xxx.KN (x2)
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Latch & Bolt or Lock)	• (Latch & Bolt or Interior Lock)
Blocking Ring			
Turn Knob			

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY


shown in grey

ENTRANCE TRIM, MORTISE
PASADENA



		030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		044, 402 412, 452
Item #	Description	Wt.		
SET	6944.xxx.RENT (LENT)	Entrance Trim	Set	9.5
	6944.xxx.RDBL (LDBL)	Double Cylinder	Set	\$795 \$870
	6944.xxx.RFD (LFD)	Full Dummy	Set	
	6944.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1590† —
	6641.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set	
EXT	6641.xxx.BB30	Entrance Back-to-Back – 3" door	Set	1095 1170
	6641.xxx.BBFD	Dummy Back-to-Back	Set	
INTERIOR	6641.xxx	Active Exterior Trim	Each	590 635
	6641.xxx.DM	Dummy Exterior Trim	Each	
		Interior Escutcheon –		
	6714.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each	
	6714.xxx.KE**	Cut for Emergency Release (KE)	Each	195 230
	6714.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	
	6714.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230 270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Sets

	6944.xxx.RENT (LENT)	6944.xxx.RDBL (LDBL)	6944.xxx.RFD (LFD)	6641.xxx.BB75 (BBFD)
Exterior Trim	6641.xxx	6641.xxx	6641.xxx.DM	6641.xxx (x2)
Interior Escutcheon	6714.xxx.KT	6714.xxx.KC	6714.xxx.KN	
Knob/Lever	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	•	•		•
Blocking Ring		•		•

Trim width: 3.35"
Trim thickness: .375" – G



Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6641.xxx	6714.xxx.KC	6714.xxx.KC	6714.xxx.KE**	
Interior Escutcheon	6714.xxx.KT	6714.xxx.KT	6714.xxx.KC	6714.xxx.KT	6714.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	• (Lever Strength)	•	•	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•	Other- ER Trim	
Turn Knob					

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY
shown in grey

** (All .KE hardware include 6701 ER cover)


BALDWIN

ENTRANCE TRIM, MORTISE HOLLYWOOD HILLS: KNOB X KNOB TRIM



Item #	Description	Set	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6945.xxx.ENTR	Entrance Trim – Hollywood Hills (Knob) Set	Set			
6945.xxx.DBLC	Double Cylinder	Set	\$590		\$670
6945.xxx.FD	Full Dummy	Set			
6945.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1180†		—
6510.xxx.DM	Dummy Exterior Trim	Each	295		340
Exterior Escutcheons (OS), Interior Escutcheon (IS)					
6535.xxx.KCOS (KCIS)	Cut for Cylinder (KC), Double Cylinder	Each			
6535.xxx.KEOS (KEIS)**	Cut for Emergency Release (KE)	Each	250		290
6535.xxx.KNOS (KNIS)	Cut for Knob (KN), Passage/Dummy	Each			
6535.xxx.KTIS	Interior Escutcheon w/ Turn Knob (KT)	Each	290		330

NOTE: 030 is not available with Entry Trim or KCOS escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

MORTISE LOCKS

Sets

	6945.xxx.ENTR	6945.xxx.DBLC	6945.xxx.FD
Exterior Trim	6535.xxx.KCOS	6535.xxx.KCOS	6510.xxx.DM
Interior Escutcheon	6535.xxx.KTIS	6535.xxx.KCIS	6535.xxx.KNIS
Knob/Lever	K008.xxx.MR	K008.xxx.MR	K008.xxx.MR
Spindle			
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	• (Knob Strenght)	• (Knob Strenght)	
Blocking Ring		•	

Trim width: 2.44"
Trim thickness: .375" – G



Designer

	Entrance	Privacy	Passage
Exterior Trim	6535.xxx.KCOS	6535.xxx.KEOS	6535.xxx.KNOS
Interior Escutcheon	6535.xxx.KTIS	6535.xxx.KTIS	6535.xxx.KNIS
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Latch & Bolt or Lock)	• (Latch & Bolt or Lock)
Blocking Ring			

REQUIRED


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE
HOLLYWOOD HILLS HANDLESET




MORTISE LOCKS



		030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		044, 402 412, 452
Item #	Description	Wt.		
6946.xxx.ENTR	Entrance Trim- Hollywood Hills Handleset	Set		
6946.xxx.DBLC	Double Cylinder	Set	\$895	\$970
6946.xxx.FD	Full Dummy	Set		
6946.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1790 ¹	—
6946.xxx	Active Exterior Trim	Each	555	590
6946.xxx.DM	Dummy Exterior Trim	Each		
Exterior Escutcheons (OS), Interior				
6535.xxx.KCOS (KCIS)	Cut for Cylinder (KC), Double Cylinder	Each		
6535.xxx.KEOS (KEIS)**	Cut for Emergency Release (KE)	Each	250	290
6535.xxx.KNOS (KNIS)	Cut for Knob (KN), Passage/Dummy	Each		
6535.xxx.KTIS	Interior Escutcheon w/ Turn Knob (KT)	Each	290	330

NOTE: 030 is not available with Entry Trim or KCOS escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Sets

	6946.xxx.ENTR	6946.xxx.DBLC	6946.xxx.FD
Exterior Trim	6946.xxx	6946.xxx	6946.xxx.DM
Interior Escutcheon	6535.xxx.KTIS	6535.xxx.KCIS	6535.xxx.KNIS
Knob/Lever	K008.xxx.IMR	K008.xxx.IMR	K008.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)
Cylinder	8323 for 1.75" doors	• (Double)	6761 (Dummy)
Mortise Lock	• (Knob Streight)	• (Knob Streight)	
Blocking Ring		•	

Trim width: 2.44"
Trim thickness: .375" – G



Designer

Entrance

Exterior Trim	6946.xxx
Interior Escutcheon	6535.xxx.KTIS
Knob/Lever	IMR / RMR / LMR
Spindle	•
Cylinder	•
Mortise Lock	•
Blocking Ring	

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPERATELY

shown in grey

** (All .KE hardware include 6701 ER cover)


BALDWIN

ENTRANCE TRIM, MORTISE VICTORIA™ / VERSAILLES



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
SET	6948.xxx.RENT (LENT)	Entrance Trim – Victoria	Set	9.5
	6948.xxx.RDBL (LDBL)	Double Cylinder	Set	\$795 \$870
	6948.xxx.RFD (LFD)	Full Dummy	Set	
	6948.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1590† 1740†
	6956.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set	1095 1170
EXT	6956.xxx.BBFD	Dummy Back-to-Back	Set	
	6956.xxx	Active Exterior Trim only	Each	590 635
	6956.xxx.DM	Dummy Exterior only	Each	
SET	6933.xxx.ENTR	Entrance Trim – Versailles	Set	
	6933.xxx.DBLC	Double Cylinder	Set	495 570
	6933.xxx.FD	Full Dummy	Set	
	6933.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990† —
EXT	6933.xxx.RDM (LDM)	Dummy Exterior only	Each	215 250
INT		Interior Escutcheon –		
	6993.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each	
	6993.xxx.KE**	Cut for Emergency Release (KE)	Each	195 230
	6993.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each	
	6993.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230 270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Victoria Sets	6948.xxx.RENT (LENT)	6948.xxx.RDBL (LDBL)	6948.xxx.RFD (LFD)	6956.xxx.BB75 (BBFD)
Exterior Trim	6956.xxx	6956.xxx	6956.xxx.DM	6956.xxx (x2)
Interior Escutcheon	6993.xxx.KT	6993.xxx.KC	6993.xxx.KN	
Knob/Lever	5121.xxx.LMR (RMR)	5121.xxx.LMR (RMR)	5121.xxx.LMR (RMR)	
Spindle	0533 (2.25" Half)	0533 (2.25" Half)	5092 (1.125" Dummy)	
Cylinder	8322 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	•		•
Blocking Ring		•		•

Trim width: 2.4"
Trim thickness: .188" – D

Versailles Sets	6933.xxx.ENTR	6933.xxx.DBLC	6933.xxx.FD
Exterior Trim	6993.xxx.KC	6993.xxx.KC	
Interior Escutcheon	6993.xxx.KT	6993.xxx.KC	6993.xxx.KN (x2)
Knob/Lever	5121.xxx.MR (Pair)	5121.xxx.MR (Pair)	5121.xxx.MR (Pair)
Spindle	0520 (3.5" Swivel)	0520 (3.5" Swivel)	0510 (3.5" Straight)
Cylinder	•	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

Designer	Victoria Entrance	Versailles Privacy
Exterior Trim	6956.xxx	6993.xxx.KE**
Interior Escutcheon	6993.xxx.KT	6993.xxx.KT
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• (Latch & Bolt or Lock)
Blocking Ring		
Turn Knob		

REQUIRED —


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY

shown in grey

ENTRANCE TRIM, MORTISE KENSINGTON / WESTMINSTER



MORTISE LOCKS


030, 031, 033
050, 060, 102
112, 150, 151
190, 260, 264

003,
044, 055
056, 402
412, 452

Item #	Description	Set	Wt.		
6950.xxx.RENT (LENT)	Entrance Trim – Kensington	Set	9.5		
6950.xxx.RDBL (LDBL)	Double Cylinder	Set		\$795	\$870
6950.xxx.RFD (LFD)	Full Dummy	Set			
6950.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		1590†	—
6624.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set			
6624.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set		1095	1170
6624.xxx.BBFD	Dummy Back-to-Back	Set			
6624.xxx	Active Exterior Trim only	Each		590	635
6624.xxx.DM	Dummy Exterior only	Each			
6961.xxx.ENTR	Entrance Trim – Westminster	Set			
6961.xxx.DBLC	Double Cylinder	Set		495	570
6961.xxx.FD	Full Dummy	Set			
6961.xxx.ENFD*	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990†	—
6961.xxx.DM	Dummy Exterior only	Each		215	250
	Interior Escutcheon –				
6790.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each			
6790.xxx.KE**	Cut for Emergency Release (KE)	Each		195	230
6790.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each			
6790.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each		230	270
6790.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair		390	460

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim width: 2.75"
Trim thickness: .3125" – F

Kensington Sets	6950.xxx.RENT (LENT)	6950.xxx.RDBL (LDBL)	6950.xxx.RFD (LFD)	6624.xxx.BE (BB30, BBFI ,
Exterior Trim	6624.xxx	6624.xxx	6624.xxx.DM	6624.xxx (x2)
Interior Escutcheon	6790.xxx.KT	6790.xxx.KC	6790.xxx.KN	
Knob/Lever	5108.xxx.LMR (RMR)	5108.xxx.LMR (RMR)	5108.xxx.LMR (RMR)	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	• (Lever Strength)		•
Blocking Ring		•		•



Westminster Sets	6961.xxx.ENTR	6961.xxx.DBLC	6961.xxx.FD
Exterior Trim	6790.xxx.KC	6790.xxx.KC	
Interior Escutcheon	6790.xxx.KT	6790.xxx.KC	6790.xxx.KN (x2)
Knob/Lever	5108.xxx.MR (Pair)	5108.xxx.MR (Pair)	5108.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511.004 (4" Straight)
Cylinder	•	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

REQUIRED —

Designer	Kensington Entrance	Westminster Entrance
Exterior Trim	6624.xxx	6790.xxx.KE**
Interior Escutcheon	6790.xxx.KT	6790.xxx.KT or .KP
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	•
Mortise Lock	• (Lever Strength)	• Latch & Bolt, Lock or Latch
Blocking Ring		
Turn Knob		

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"


MUST ORDER SEPERATELY
shown in grey

** (All .KE hardware include 6701 ER cover)

BALDWIN



NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.

**REQUIRED —**

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPERATELY

ENTRANCE TRIM, MORTISE BRISTOL




Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6963.xxx.RENT (LENT)	Entrance Trim - Bristol	Set		
6963.xxx.RDBL (LBDL)	Double Cylinder	Set	\$795	\$870
6963.xxx.RFD (LFD)	Full Dummy	Set		
6963.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1590†	1740†
6627.xxx.BB75	Entrance Back-to-Back - 1.75" door	Set		
6627.xxx.BB30	Entrance Back-to-Back - up to 3" door	Set	1095	1170
6627.xxx.BBFD	Dummy Back-to-Back	Set		
6627.xxx.	Active Exterior Trim only	Each	590	635
6627.xxx.DM	Dummy Exterior only	Each		
6939.xxx.ENTR	Entrance Trim - Bristol Lever Set	Set		
6939.xxx.DBLC	Double Cylinder	Set	495	570
6939.xxx.FD	Full Dummy	Set		
6939.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990	1140
6939.xxx.RDM (LDM)	Dummy Exterior only	Each	215	250

NOTE: For interior trim, see Barclay.

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .375" - G

Sets

	6963.xxx.LENT (RENT)	6963.xxx.LDBL (RDBL)	6963.xxx.LFD (RFD)	6627.xxx.BB75 (BB30, BBFD)
Exterior Trim	6627.xxx	6627.xxx	6627.xxx.DM	6627.xxx (x2)
Interior Escutcheon	6991.xxx.KT	6991.xxx.KC	6991.xxx.KN	
Knob/Lever	5104.xxx.RMR (LMR)	5104.xxx.RMR (LMR)	5104.xxx.RMR (LMR)	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	•
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	• (Lever Strength)		•
Blocking Ring		•		•

Sets

	6939.xxx.ENTR	6939.xxx.DBLC	6939.xxx.FD
Exterior Trim	6991.xxx.KC	6991.xxx.KC	6991.xxx.KN
Interior Escutcheon	6991.xxx.KT	6991.xxx.KC	6991.xxx.KN
Knob/Lever	5104.xxx.MR (Pair)	5104.xxx.MR (Pair)	5104.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	5099.004 (x2)
Cylinder	•	• (Double)	
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

Designer

	Entrance	Privacy
Exterior Trim	6627.xxx	6991.xxx.KE**
Interior Escutcheon	6991.xxx.KT	6991.xxx.KT or .KP
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	•	•
Blocking Ring		
Turn Knob		

REQUIRED —


SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey


** (All .KE hardware include 6701 ER cover)

BALDWIN



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6554.xxx.ENTR	Entrance Trim – Barclay (Knob) Set	Set		
6554.xxx.DBLC	Double Cylinder	Set	\$495	\$570
6554.xxx.FD	Full Dummy	Set		
6554.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
6554.xxx.DM	Dummy Exterior only	Each	215	250
Interior Escutcheon –				
6991.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6991.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6991.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6991.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270
6991.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair	390	460

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Trim thickness: .375" – G

Sets

	6554.xxx.ENTR	6554.xxx.DBLC	6554.xxx.FD
Exterior Trim	6991.xxx.KC	6991.xxx.KC	
Interior Escutcheon	6991.xxx.KT	6991.xxx.KC	6991.xxx.KN (x2)
Knob/Lever	5064.xxx.MR (Pair)	5064.xxx.MR (Pair)	5064.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	8323 (1.75" Door)	• (Double)	5099.004 (x2)
Mortise Lock	• (Knob Strength)	• (Knob Strength)	
Blocking Ring		•	



Designer

Passage

Exterior Trim	6991.xxx.KN
Interior Escutcheon	6991.xxx.KN
Knob/Lever	Pair
Spindle	•
Cylinder	
Mortise Lock	• (Latch or Interior Lock)
Blocking Ring	
Turn Knob	

REQUIRED –

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY
shown in grey

MORTISE LOCKS

ENTRANCE TRIM, MORTISE LAKESHORE™




MORTISE LOCKS

Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6966.xxx.RENT (LENT)	Entrance Trim — Lakeshore	Set	5.0	
6966.xxx.RDBL (LDBL)	Double Cylinder	Set		\$795 \$870
6966.xxx.RFD (LFD)	Full Dummy	Set		
6966.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		1590† —
6553.xxx.BB75	Entrance Back-to-Back — 1.75" door	Set		
6553.xxx.BB30	Entrance Back-to-Back — up to 3" door	Set		1095 1170
6553.xxx.BBFD	Dummy Back-to-Back	Set		
6553.xxx	Active Exterior Trim only	Each		590 635
6553.xxx.DM	Dummy Exterior only	Each		
6974.xxx.ENTR	Entrance Trim — Lakeshore Lever Set	Set	3.5	
6974.xxx.DBLC	Double Cylinder	Set		495 570
6974.xxx.FD	Full Dummy	Set		
6974.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets		990† —
6974.xxx.RDM (LDM)	Dummy Exterior only	Each		215 250
INTERIOR				
6502.xxx.KCOS (KCIS)	Interior Escutcheon — Cut for Cylinder (KC), Double Cylinder	Each		
6502.xxx.KEOS (KEIS)	Cut for Emergency Release (KE)	Each		195 230
6502.xxx.KNOS (KNIS)	Cut for Knob (KN), Passage/Dummy	Each		
6502.xxx.KTOS (KTIS)	Interior Escutcheon w/ Turn Knob (KT)	Each		230 270

NOTE: 030 is not available with Entry Trim or KC escutcheons

†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]

Sets

	6966.xxx.RENT (LENT)	6966.xxx.RDBL (LDBL)	6966.xxx.RFD (LFD)	6553.xxx.BB75 (BB30, BBFD)
Exterior Trim	6553.xxx	6553.xxx	6553.xxx.DM	6553.xxx (x2)
Interior Escutcheon	6502.xxx.KTIS	6502.xxx.KCIS	6502.xxx.KNIS	
Knob/Lever	5162.xxx.LMR (RMR)	5162.xxx.LMR (RMR)	5162.xxx.LMR (RMR)	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.5" Dummy)	
Cylinder	8323 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	• (Lever Strength)		•
Blocking Ring		•		•

Trim thickness: .375" – G



Sets

	6974.xxx.ENTR	6974.xxx.DBLC	6974.xxx.FD
Exterior Trim	6502.xxx.KCOS	6502.xxx.KCOS	6502.xxx.KNOS
Interior Escutcheon	6502.xxx.KTIS	6502.xxx.KCIS	6502.xxx.KNIS
Knob/Lever	5162.xxx.MR (Pair)	5162.xxx.MR (Pair)	5162.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Straight)
Cylinder	•	• (Double)	
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	

REQUIRED —

Designer

	Entrance	Privacy
Exterior Trim	6553.xxx	6502.xxx.KEOS**
Interior Escutcheon	6502.xxx.KTIS	6502.xxx.KTIS
Knob/Lever	Half Pair	Pair
Spindle	•	•
Cylinder	•	
Mortise Lock	• (Lever Strength)	• (Latch & Bolt or Lock)
Blocking Ring		
Turn Knob		

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

** (All .KE hardware include 6701 ER cover)


BALDWIN

*QUICK SHIP is available in limited functions and finishes.
For complete listing, please refer to page 284.




Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6973.xxx.ENTR	Entrance Trim	Set	4.0	
6973.xxx.DBLC	Double Cylinder	Set	\$495	\$570
6973.xxx.FD	Full Dummy	Set		
6973.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	990†	—
6973.xxx.RDM (LDM)	Dummy Exterior only	Each	215	250
Interior Escutcheon –				
6506.xxx.KCOS (KCIS)	Cut for Cylinder (KC), Double Cylinder	Each		
6506.xxx.KEOS (KEIS)	Cut for Emergency Release (KE)	Each	195	230
6506.xxx.KNOS (KNIS)	Cut for Knob (KN), Passage/Dummy	Each		
6506.xxx.KTOS (KTIS)	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270
6506.xxx.KP	Escutcheons Cut for Privacy (KP)	Pair	390	460

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



*UNIT OF MEASURE: inches [mm]



Trim thickness: .435" – H

Sets	6973.xxx.ENTR	6973.xxx.DBLC	6973.xxx.FD
Exterior Trim	6506.xxx.KCOS	6506.xxx.KCOS	6506.xxx.KNOS
Interior Escutcheon	6506.xxx.KTIS	6506.xxx.KCIS	6506.xxx.KNIS
Knob/Lever	5164.xxx.MR (Pair)	5164.xxx.MR (Pair)	5164.xxx.MR (Pair)
Spindle	0522 (4" Swivel)	0522 (4" Swivel)	0511 (4" Swivel)
Cylinder	8324 (1.75" Door)	• (Double)	5099.004 (x2)
Mortise Lock	• (Lever Strength)	• (Lever Strength)	
Blocking Ring		•	



Designer	Entrance	Privacy	Passage
Exterior Trim	6506.xxx.KCOS	6506.xxx.KEOS	6506.xxx.KNOS
Interior Escutcheon	6506.xxx.KTIS	6506.xxx.KTIS	6506.xxx.KNIS
Knob/Lever	Pair	Pair	Pair
Spindle	•	•	•
Cylinder	•		
Mortise Lock	•	• (Latch & Bolt, Lock, or Latch)	• (Latch or Interior Lock)
Blocking Ring			
Turn Knob			

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

**(All .KE hardware include 6701 ER cover)

MUST ORDER SEPARATELY


shown in grey

ENTRANCE TRIM, MORTISE MINNEAPOLIS



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6976.xxx.RENT (LENT)	Entrance Trim	Set	5.5	
6976.xxx.RDBL (LDBL)	Double Cylinder	Set	\$645	\$720
6976.xxx.RFD (LFD)	Full Dummy	Set		
6976.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1290	—
6620.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		
6620.xxx.BB30	Entrance Back-to-Back – up to 3" door	Set	1045	1120
6620.xxx.BBFD	Dummy Back-to-Back	Set		
6620.xxx	Active Exterior Trim	Each	365	400
6620.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon –			
6513.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6513.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6513.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6514.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Sets

	6976.xxx.RENT (LENT)	6976.xxx.RDBL (LDBL)	6976.xxx.RFD (LFD)	6620.xxx.BB75 (BB30, BBFD)
Exterior Trim	6620.xxx	6620.xxx	6620.xxx.DM	6620.xxx (x2)
Interior Escutcheon	6514.xxx.KT	6513.xxx.KC	6513.xxx.KN	
Knob/Lever	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)	
Cylinder	8323 (1.75" Door)	8323 (1.75" Door)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	•		•
Blocking Ring		•		•

Trim width: 2.25"
Trim thickness: .375" – G

Designer

	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6620.xxx	6513.xxx.KC	6513.xxx.KC	6513.xxx.KE**	
Interior Escutcheon	6514.xxx.KT	6514.xxx.KT	6513.xxx.KC	6514.xxx.KT	6513.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	•	• (Lever Strength)	• (Lever Strength)	• (Latch & Bolt or Lock)	• (Latch or Interior Lock)
Blocking Ring			•		
Turn Knob					

REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

MUST ORDER SEPARATELY

shown in grey

** (All .KE hardware include 6701 ER cover)

BALDWIN


*QUICK SHIP is available in limited functions and finishes.
For complete listing, please refer to page 284.



SET
EXT
INTERIOR

Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
6999.xxx.RENT (LENT)	Entrance Trim	Set	9.5	
6999.xxx.RDBL (LDBL)	Double Cylinder	Set	\$795	\$870
6999.xxx.RFD (LFD)	Full Dummy	Set		
6999.xxx.ENFD†	1 Active Entrance Set + 1 Full Dummy Set	2 Sets	1590†	—
6690.xxx.BB75	Entrance Back-to-Back – 1.75" door	Set		1170
6690.xxx.BBFD	Entrance Back-to-Back	Set	1095	
6690.xxx	Active Exterior Trim	Each	590	635
6690.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon –			
6709.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
6709.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
6709.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
6709.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Sets	6999.xxx.RENT (LENT)	6999.xxx.RDBL (LDBL)	6999.xxx.RFD (LFD)	6690.xxx.BB75 (BBFD)
Exterior Trim	6690.xxx	6690.xxx	6690.xxx.DM	6690.xxx (x2)
Interior Escutcheon	6709.xxx.KT	6709.xxx.KC	6709.xxx.KN	
Knob/Lever	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	5190.xxx.LMR (RMR)	
Spindle	0530 (2.375" Half)	0530 (2.375" Half)	5092 (1.125" Dummy)	5092 (1.125" Dummy)
Cylinder	8324 (1.75" Door)	• (Double)	6761 (Dummy)	• (Double)
Mortise Lock	• (Lever Strength)	• (Lever Strength)		•
Blocking Ring				•

Trim width: 2.9"
Trim thickness: .435" – H



Designer	Entrance	Entrance	Double Cylinder	Privacy	Passage
Exterior Trim	6690.xxx	6709.xxx.KC	6709.xxx.KC	6709.xxx.KE**	
Interior Escutcheon	6709.xxx.KT	6709.xxx.KT	6709.xxx.KC	6709.xxx.KT	6709.xxx.KN (x2)
Knob/Lever	Half Pair	Pair	Pair	Pair	Pair
Spindle	•	•	•	•	•
Cylinder	•	•	• (Double)		
Mortise Lock	•	• (Lever Strength)	• (Lever Strength)	• (Latch & Bolt or Lock)	• (Latch & Interior Lock)
Blocking Ring			•		
Turn Knob					


REQUIRED —

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)


MUST ORDER SEPARATELY
shown in grey

ENTRANCE TRIM, MORTISE
CODY 3/4 ESCUTCHEON



		030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		003, 044, 055 056, 402 412, 452
Item #	Description	Set	Wt.	
M502.xxx.ENTR	Entrance Trim – Knob	Set	9.5	
M502.xxx.RENT (LENT)	Entrance Trim – Lever	Set		
M502.xxx.DBLC	Double Cylinder – Knob	Set		
M502.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set		
M502.xxx.FD	Full Dummy – Knob	Set		
M502.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M502.xxx	Active Exterior Trim	Each	215	250
M502.xxx.DM	Dummy Exterior Trim	Each		
Interior Escutcheon –				
M502.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M502.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M502.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M502.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



Lever Sets	M502.xxx.RENT (LENT)	M502.xxx.RDBL (LDBL)	M502.xxx.RFD (LFD)
Exterior Trim	M502.xxx	M502.xxx	M502.xxx.DM
Interior Escutcheon	M502.xxx.KT	M502.xxx.KC	M502.xxx.KN
Knob/Lever	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	• (Lever Strength)	•	
Blocking Ring		•	

Trim width: 3"
Trim thickness: .53" – H1



Knob Sets	M502.xxx.ENTR	M502.xxx.DBLC	M502.xxx.FD
Exterior Trim	M502.xxx	M502.xxx	M502.xxx.DM
Interior Escutcheon	M502.xxx.KT	M502.xxx.KC	M502.xxx.KN
Knob/Lever	5024.xxx.IMR	5024.xxx.IMR	5024.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	• (Lever Strength)	•	
Blocking Ring		•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"


** (All .KE hardware include 6701 ER cover)

ENTRANCE TRIM, MORTISE CODY FULL ESCUTCHEON



Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
M504.xxx.ENTR	Entrance Trim – Knob	Set	9.5	
M504.xxx.RENT (LENT)	Entrance Trim – Lever	Set		
M504.xxx.DBLC	Double Cylinder – Knob	Set		
M504.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set	\$645	\$720
M504.xxx.FD	Full Dummy – Knob	Set		
M504.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M504.xxx	Active Exterior Trim	Each		
M504.xxx.DM	Dummy Exterior Trim	Each	365	400
Interior Escutcheon –				
M502.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M502.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M502.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M502.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Lever Sets

	M504.xxx.RENT (LENT)	M504.xxx.RDBL (LDBL)	M504.xxx.RFD (LFD)
Exterior Trim	M504.xxx	M504.xxx	M504.xxx.DM
Interior Escutcheon	M502.xxx.KT	M502.xxx.KC	M502.xxx.KN
Knob/Lever	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 3"
Trim thickness: .53" – H1




Knob Sets

	M504.xxx.ENTR	M504.xxx.DLBC	M504.xxx.FD
Exterior Trim	M504.xxx	M504.xxx	M504.xxx.DM
Interior Escutcheon	M502.xxx.KT	M502.xxx.KC	M502.xxx.KN
Knob/Lever	5024.xxx.IMR	5024.xxx.IMR	5024.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)


ENTRANCE TRIM, MORTISE
BOULDER ¾ ESCUTCHEON



SET
EXT
INTERIOR

		030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264		003, 044, 055 056, 402 412, 452
Item #	Description	Wt.		
M512.xxx.ENTR	Entrance Trim – Knob	Set	9.5	
M512.xxx.RENT (LENT)	Entrance Trim – Lever	Set		
M512.xxx.DBLC	Double Cylinder – Knob	Set		
M512.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set	\$495	\$570
M512.xxx.FD	Full Dummy – Knob	Set		
M512.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M512.xxx	Active Exterior Trim	Each	215	250
M512.xxx.DM	Dummy Exterior Trim	Each		
Interior Escutcheon –				
M512.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M512.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M512.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M512.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Lever Sets	M512.xxx.RENT (LENT)	M512.xxx.RDBL (LDBL)	M512.xxx.RFD (LFD)
Exterior Trim	M512.xxx	M512.xxx	M512.xxx.DM
Interior Escutcheon	M512.xxx.KT	M512.xxx.KC	M512.xxx.KN
Knob/Lever	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 3"
Trim thickness: .53" – H1



Knob Sets	M512.xxx.ENTR	M512.xxx.DBLC	M512.xxx.FD
Exterior Trim	M512.xxx	M512.xxx	M512.xxx.DM
Interior Escutcheon	M512.xxx.KT	M512.xxx.KC	M512.xxx.KN
Knob/Lever	5024.xxx.IMR	5024.xxx.IMR	5024.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)


ENTRANCE TRIM, MORTISE
BOULDER FULL ESCUTCHEON



SET
EXT
INTERIOR

Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
M514.xxx.ENTR	Entrance Trim – Knob	Set	9.5	
M514.xxx.RENT (LENT)	Entrance Trim – Lever	Set		
M514.xxx.DBLC	Double Cylinder – Knob	Set		
M514.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set	\$645	\$720
M514.xxx.FD	Full Dummy – Knob	Set		
M514.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M514.xxx	Active Exterior Trim	Each	365	400
M514.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon –			
M512.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M512.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M512.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M512.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Lever Sets	M514.xxx.RENT (LENT)	M514.xxx.RDBL (LDBL)	M514.xxx.RFD (LFD)
Exterior Trim	M514.xxx	M514.xxx	M514.xxx.DM
Interior Escutcheon	M512.xxx.KT	M512.xxx.KC	M512.xxx.KN
Knob/Lever	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)	5452V.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	• (Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 3"
Trim thickness: .53" – H1

Knob Sets	M514.xxx.ENTR	M514.xxx.DBLC	M514.xxx.FD
Exterior Trim	M514.xxx	M514.xxx	M514.xxx.DM
Interior Escutcheon	M512.xxx.KT	M512.xxx.KC	M512.xxx.KN
Knob/Lever	5024.xxx.IMR	5024.xxx.IMR	5024.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)


ENTRANCE TRIM, MORTISE
SOHO 3/4 ESCUTCHEON



SET
EXT
INTERIOR

Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
M516.xxx.RENT (LENT)	Entrance Trim – Lever	Set	9.5	
M516.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set	\$495	\$570
M516.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M516.xxx	Active Exterior Trim	Each	215	250
M516.xxx.DM	Dummy Exterior Trim	Each		
Interior Escutcheon –				
M516.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M516.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M516.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M516.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.




ENTRANCE TRIM, MORTISE BETHPAGE ¾ ESCUTCHEON



SET
EXT
INTERIOR

Item #	Description	Wt.	030, 031, 033 050, 060, 102 112, 150, 151 190, 260, 264	003, 044, 055 056, 402 412, 452
M522.xxx.ENTR	Entrance Trim – Knob	Set	9.5	
M522.xxx.RENT (LENT)	Entrance Trim – Lever	Set		
M522.xxx.DBLC	Double Cylinder – Knob	Set		
M522.xxx.RDBL (LDBL)	Double Cylinder – Lever	Set	\$495	\$570
M522.xxx.FD	Full Dummy – Knob	Set		
M522.xxx.RFD (LFD)	Full Dummy – Lever	Set		
M522.xxx	Active Exterior Trim	Each	215	250
M522.xxx.DM	Dummy Exterior Trim	Each		
	Interior Escutcheon –			
M522.xxx.KC	Cut for Cylinder (KC), Double Cylinder	Each		
M522.xxx.KE**	Cut for Emergency Release (KE)	Each	195	230
M522.xxx.KN	Cut for Knob (KN), Passage/Dummy	Each		
M522.xxx.KT	Interior Escutcheon w/ Turn Knob (KT)	Each	230	270

NOTE: 030 is not available with Entry Trim or KC escutcheons
†.ENFD only available in 050 & 112, to ensure a finish match on all components.



MORTISE LOCKS

Lever Sets

	M522.xxx.RENT (LENT)	M522.xxx.RDBL (LDBL)	M522.xxx.RFD (LFD)
Exterior Trim	M522.xxx	M522.xxx	M522.xxx.DM
Interior Escutcheon	M522.xxx.KT	M522.xxx.KC	M522.xxx.KN
Knob/Lever	5447V.xxx.LMR (RMR)	5447V.xxx.LMR (RMR)	5447V.xxx.LMR (RMR)
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

Trim width: 3"
Trim thickness: .53" – H1



Knob Sets

	M522.xxx.ENTR	M522.xxx.DBLC	M522.xxx.FD
Exterior Trim	M522.xxx	M522.xxx	M522.xxx.DM
Interior Escutcheon	M522.xxx.KT	M522.xxx.KC	M522.xxx.KN
Knob/Lever	5077.xxx.IMR	5077.xxx.IMR	5077.xxx.IMR
Spindle	0530 (2.375" Half)	0530 (2.25" Half)	5092 (1.5" Dummy)
Cylinder	8325 (1.75" Door)	(Double)	6761 (Dummy)
Mortise Lock	•	•	
Blocking Ring		•	

SEE BACK COVER FLAP for easy-ordering charts and requirements for doors thicker than 1.75"

** (All .KE hardware include 6701 ER cover)