#### CYLINDER COLLARS

#### **THUMBTURN**

Thumbturns has a 1-5/16" backplate diameter.)



**IRLBP** 2-1/4" diam.



**IRKBP** 2-1/4" diam.



**IRMBP** 2-1/4" diam.



**IGABP** proj. 3/4"

Cylinder Collars & Thumbturns to be used with mortise deadbolt & entrance locks, see page 21.

#### **DUMMY STRAPS**



IHCBP: Overall length-14", width-1-1/2" at Butt; 2-1/2" at heart IHDBP: Overall length-20", width-1-1/2" at Butt; 2-1/2" at heart




IHABP: Overall length-14", width-1-1/2" at Butt; 2-1/2" at fleur-de-lis **IHBBP:** Overall length-20", width-1-1/2" at Butt; 2-1/2" at fleur-de-lis

#### **Exterior Entry Set** For Pre-Drilled Door

**IWWBI** 

9-7/8" H x 2-3/8" W proj. 2-5/8" Dummy Set: IWWBD




## **PUSHPLATE**

**IMCBP:** 15-3/4" H x 3-1/2" W



#### DOOR KNOCKERS

Knocker nail included with knockers (See photo below)




8-3/8" H x 6-3/4" W **Knocker Nail** proj. 2" 1" Diameter



**IMBBP** Ring: 5-1/8" Overall height: 6": proj. 1-1/2"


#### MORTISE CYLINDER LOCKSETS

Designed for 1-3/4" doors ONLY, specify if other than 1-3/4". Stile width: min. 4-1/4". Recommend 4-1/2". Cylinder locks are included with all entry sets. Standard backset 2-1/2". Special order for 2-3/4" backset.



Parts list (for photos on this section) **IGFBP**: Exterior trim only (no lever) **IGHBP**: Interior trim w/turnpiece (no lever)

**INEBP**: Lever **IKLBP**: Knob



#### MORTISE CYLINDER LOCKSETS

Designed for 1-3/4" doors ONLY, specify if other than 1-3/4". Stile width: min. 4-1/4". Recommend 4-1/2". Cylinder locks are included with all entry sets

#### IW3BI

9-7/8" H x 2-3/8" W proj. 2-3/8"





Parts list (for photos on this section) **IG2BP**: Exterior trim only (no lever)

**IG3BP**: Interior trim without lever (w/turnpiece)

**INLBP**: Left hand lever **INMBP**: Right hand lever

IKLBP: Knob

IW4BI

9-7/8" H x 2-3/8" W proj.: 2-1/2"

**Dummy set: IW4BD** 







16 H x 2-3/8" W Plate with lever: 9-7/8" H x 2-3/8" W Handle proj. 2-3/8" **Dummy sets: IW1BL (LH Door) IW1BW (RH Door)** 



16 H x 2-3/8" W Plate with knob: 9-7/8" H x 2-3/8" W Handle proj. 2-3/8"

Dummy set: IW2BD









Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See page 12 for instructions

#### MORTISE SKELETON KEY LOCKSETS

#### FOR INTERIOR DOORS



**IWXBI** 9-7/8"H x 2-3/8"W proj. 2-1/2"



**IWYBI** 9-7/8"H x 2-3/8"W proj. 2-1/2"



**WUTBI** 12"H x 2-1/2"W proj. 2"

Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See chart below for instructions.

Cylinder locks are included with all entry sets.

Regular doors opening in: **INTERIOR** 



OUTSIDE EXTERIOR
Left hand door Right hand door

Regular doors opening out: (including storm doors, closets and cabinets)

INTERIOR



OUTSIDE OR ROOMSIDE
Left hand Right hand
reverse door reverse door

#### HAND OF DOORS

All doors are handed - right or left. The following illustrations indicate clearly this "handing" as it is understood within the hardware industry.

Specify hand of door on all orders for mortise locks.

### **Mortise Skeleton Lock**



Front 5-1/2" x 1"
Backset 2-1/2"
Deadbolt may be operated by skeleton key from both sides. Please advise thickness and handing of door.

When using lever

TMGBG - Lock Box, Black
TMGJG - Lock Box, Stainless

When using knob

TMHBG - Lock Box, Black TMHJG - Lock Box, Stainless

When using lever w/ turnpiece TMJBG - Lock Box, Black TMJJG - Lock Box, Stainless

When using knob w/ turnpiece
TMKBG - Lock Box, Black
TMKJG - Lock Box, Stainless

Please note: Hand of doors must be specified on all orders for mortise cylinder locksets.

# Door Hardware/Pulls



**ILQBP** 15-3/4" H x 3-1/2" W proj. 4"



**IPDBP** 12" H x 2-3/4" W proj. 2-7/8"



**IPEBP** 12-1/2" H x 1-1/2" W proj. 3-1/2"




**IPFBP** 9-5/8" H x 1-1/4" W proj. 2-1/2"



\*IRQBP 10" H x 1" W proj. 3-1/2"



\*IRNBP 10" H x 1" W proj. 3-1/2"



#### ENTRANCE DOOR MORTISE LOCKSETS

#### Handle w/Knob Locksets

For residential entrance doors where handle operation is required for exterior and knob for interior. Mortise lock, inside knob, rose and thumbturn are included. Sets designed for 1-3/4" door only. Specify on order if other than 1-3/4". Stile width: Minimum 4-1/4". Recommend 4-1/2". All of our lock sets are available with double cylinders. Specify double cylinder after catalog number when ordering. RT5BI, ATWBI recommended style width 4-1/4" min. Recommend 4-1/2"


#### **Double Handle Locksets**

For residential entrance doors where handle operation is required for both exterior and interior. Cylinder is provided for exterior and turnpiece for interior. Mortise lock included. Specify on order if door is other than 1-3/4" thick. Note: Although one handle is illustrated, sets include two handles. All of our lock sets are available with double cylinders. Specify double cylinder after catalog number when ordering. RT6BI, ATVBI recommended style width 4-1/4" min. Recommend 4-1/2"

#### **Double Handle Locksets** (double cylinder)

Two cylinders with keys are provided for deadbolt operation on both sides. Due to high volume, we have separate catalog numbers for these two sets to designate double cylinder. Mortise lock is included.

Specify on order if door is other than 1-3/4" thick.



RTKBI

#### **RTLBI**



#### **Knob Locksets**

For residential entrance doors where knob operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior. Mortise lock included. Sets designed for 1-3/4" door only. Specify on order if other than 1-3/4". Available with double cylinders.

To order dummy change 5th letter to D for any set on this page.



**RTJBI** Knob: 2"Diam. Rose: 2" (Height) 1-1/2" (Width)

#### ACCURATE MORTISE LOCK- GRADE 1

U/L listed 3 hour


Various backsets to meet your requirements.

Standard backset: 2-1/2"

Available at an additional charge:


2-3/4" backset

Lead times need to be checked with factory.



#### ENTRANCE LOCK

- Latch bolt by key outside and lever, knob and/or thumbpiece either side unless outside lever, knob and/or thumpiece is locked by toggle-action stop.
- Deadbolt by key outside and turnpiece inside.
- Turning inside lever, knob and/or thumpiece retracts latch and deadbolt simultaneously.
- Outside lever, knob and/or thumbpiece remains locked
- Auxiliary latch dead locks latchbolt and prevents manipulation of locked toggle action stop.



FRONT: 8" X 1-1/4"

CASE: 6" x 3-5/8" x 15/16" Heavy gauge plated steel

ARMOR FRONT: Stainless Steel black

LATCH BOLT: Brass - Anti-friction type


3/4" throw

DEADBOLT: BRASS - with hardened

steel inserts. 1" throw

**STRIKE: 4-7/8" ASA** 

**Thumb Turn Hubs:** 3/16" on the diamond.



#### MORTISE DEADBOLT SETS

Sets are packaged with 2-3/4" bolts unless 2-1/2" bolts are requested.









#### MUZBI

Mortise Deadbolt with Adobe thumbturn and cylinder collar. W/2-1/2B.S.-**MUTBI** 

An







#### RTQBI

WTOBI

Mortise Deadbolt with

Warwick thumbturn and

cylinder collar.

W/2-1/2 B.S.-WUQBI

Mortise Deadbolt with Heart thumbturn and cylinder collar. W/2-1/2 B.S.-**RZABI** 



Mortise Deadbolt with Bean thumbturn and cylinder collar. W/2-1/2B.S.-**RZBBI** 

# Accurate Cylinder Deadbolt TNZBG



Front 4-5/8" x 1-1/16" Backset 2-3/4" (**TNIBG**) 2-1/2"

Deadbolt may be operated by thumbpiece from the inside and by key only from the outside or operated by key from both sides using double cylinder.

#### **Pocket Door Pull**



**APMBP -** Black face plate **APMJP -** Stainless Steel face plate

Front 5"x 7/8"
Front to Back 3-1/2"
Box Width 11/16"
Push button to extend.
Push back flush to door edge.

#### **THUMBTURNS**

Designed for use with locks furnished by Acorn or other manufacturers. Spindle and tail pieces are 1-1/2" long with 3/16" diamond.



RM7BP **AMHBP** 



**RMVBP** AMVBP



WM7BP

#### PRIVACY BOLT



TMLBP 2-3/8" TMMBP 2-3/4"

#### KEY PLATES

These keyplates will match Acorn Heart and Warwick designs and will harmonize perfectly with the roses and thumbturns shown elsewhere in this catalog.



RM8BP



WM8BP

**AMNBP** 

Bean Key Plates

#### THUMBTURN PRIVACY LOCK SETS

AMJBP Heart Turnpiece with Privacy Bolt 2-3/8" Smooth Iron **RLHBP** Heart Turnpiece with Privacy Bolt 2-3/8" Rough Iron

AMKBP Heart Turnpiece with Privacy Bolt 2-3/4" Smooth Iron RLFBP Heart Turnpiece with Privacy Bolt 2-3/4" Rough Iron

AMLBP Bean Turnpiece with Privacy Bolt 2-3/8" Smooth Iron **RLGBP** Bean Turnpiece with Privacy Bolt 2-3/8" Rough Iron

**AMMBP** Bean Turnpiece with Privacy Bolt 2-3/4" Smooth Iron **RLEBP** Bean Turnpiece with Privacy Bolt 2-3/4" Rough Iron

WLHBP Warwick Turnpiece with Privacy Bolt 2-3/8" WLFBP Warwich Turnpiece with Privacy Bolt 2-3/4"

AMSBP



RLKBP

#### **CYLINDERS**

TMRBG-1-1/8" is packed with most all mortise lock sets.





Bell Buttons • Cylinder Collars



**RMKBP AMPBP** Electric Bell Button 1-7/8" x 1-3/4"



**RLJBP AMOBP** Electric Bell Button 2-3/8" x 1-5/8"



WMKBP Electric Bell Button 2-1/8" x 1-3/4"



**RNFBP AMRBP** Cylinder Collar 3" x 2-3/4"



**RNHBP AMGBP** Cylinder Collar 2-3/8" x 1-5/8"



WNFBP Cylinder Collar 2-1/8" x 2-1/8"

Standard for doors 1-3/4" thick. Solid Brass, Cloverleaf Cam. Standard keyway: Schlage "C", can be masterkeyed or keyed alike at an upcharge. Compatible with Schlage, Baldwin, etc.

TNJBG 1"

Cylinder suitable when used with thumbturn for doors 1-3/4" thick. As a double cylinder, appropriate for 1-3/4" thick doors.

TMRBG 1-1/8"

Cylinder suitable when used with a thumbturn for doors 1-3/4" to 2-1/8" thick. As a double cylinder, appropriate for doors 2" to 2-1/8" thick.

TNKBG 1-1/4"

Cylinder suitable when used with thumbturn on doors 2" to 2-3/8" thick. As a double cylinder, appropriate for 2-1/4" to 2-3/8" thick doors.

TNLBG 1-1/2"

Cylinder suitable when used with thumbturn on doors 2-3/8" to 2-5/8" thick. As a double cylinder, appropriate for 2-5/8" thick doors.

Please note:

When doors are thinner than specified above, blocking rings are available: indicate door thickness when ordering. If door exceeds 2-7/8" the lock may be mortised into the door off center. We do not provide custom instructions for thicker doors.

#### LATCH SETS FOR PRE-DRILLED DOORS

#### **Double Handle Drop Latch Sets with Deadbolt**

Fits all predrilled doors- 2-1/8" crossbores, 15/16" edgebores. Reversible- fits right hand and left hand doors without cylinder assembly removal.

Handle: RUQBI: 11" x 3-7/16", projection: 2-3/8"

RUWBI: 9-5/8" x 3-13/16", projection: 1-11/16"

Front: 1" x 2-1/4"

Preparation depth: 3-5/8" Backset: 2-3/4" or 2-3/8" Door Thickness: 1-3/8" to 1-3/4"

D001 THICKHESS. 1-3/6 to 1-3/4

Cylinder: Solid Brass. 5 pin tumbler, nickel silver pins

Deadbolt: 1" throw. Schlage-Type C keyway.





RUQBI

**RUWBI** 

#### **Double Handle Drop Latch Sets**

Fits right or left hand doors.

Front: 1" x 2-1/4"

Preparation Depth: 3-5/8" Backset: 2-3/4" or 2-3/8"

Door Thickness: 1-3/8" - 1-3/4" (may be modified

for thicker doors.)

**RUMBI**: Use with predrilled door handle: 11" x 3-7/16", proj. 2-3/8" **RUTBI**: Use with predrilled door handle: 9-5/8" x 3-13/16", proj. 2-3/8"

\*RTXBI: Not designed for pre-drilled doors Handle: 9-1/4" x 2-5/16", proj. 1-1/2"

**Dummy**: One handle with thumbpiece: substitute the letter D for I in catalog number (RUTBD and RUMBD)







RUTBI \*RTXBI

#### **Single Handle Drop Latch Sets**

Latch uses no springs and operates by gravity only.

Fits right or left hand doors.

Front: 1" x 2-1/4"

Preparation Depth: 3-5/8" Backset: 2-3/8" - 2-3/4"

Door Thickness: 1-3/8" - 1-3/4" (may be modified for thicker doors) **RULBI**: Use with predrilled doors. Handle: 11" x 3-3/8", proj. 2-3/8"

\*RU9BI, RTXBI: Not designed for predrilled doors

Handle: 9-1/4" x 2-1/4", projection: 1-1/2"





RULBI 11" H

\*RU9BI 9-1/4" H

(Sets packed with full lip box strike.)

#### Double Lever Latch and Double Knob Sets (Rough Iron)

#### (Recommended for interior use.)



Passage Set RURBI 2-3/8" Backset RSRBI 2-3/4" Backset

Privacy Set RUSBI 2-3/8" Backset RSSBI 2-3/4" Backset



Passage Set **RZ3BI** 2-3/8" Backset **RS3BI** 2-3/4" Backset

Privacy Set **RZ4BI** 2-3/8" Backset **RS4BI** 2-3/4" Backset



Passage Set RUGBI 2-3/8" Backset RSGBI 2-3/4" Backset

Privacy Set RUHBI 2-3/8" Backset RSHBI 2-3/4" Backset

#### (Passage sets are without locks whereas privacy sets are lockable with an emergency entry feature)

Fits all pre-drilled doors: 2-1/8" crossbores, 1" edgebores

Front: 1" x 2-1/4", Door Thickness 1-3/8" - 1-3/4", Depth of Mortise: 3-5/8"

Please specify on order if door thickness is greater than 1-3/4". These latch sets are not designed for heavy doors, but may be extended for thicker doors. **All sets available in dummy trim.** 

#### ROSES FOR USE WITH KNOBS AND LEVERS



RNNBP - Passage RNPBP - Privacy 3-3/32" x 2-3/8" Plain Rose



RMPBP 2" x 1-1/2" Plain Rose



RMQBP 2" x 1-1/2" Plain Rose



RMGBP - Passage RNGBP - Privacy 3" x 2-1/8" Plain Rose



**RMHBP** 2-1/2" x 1-1/2" Plain Rose



RMIBP 2" x 1-1/2" Plain Rose



RMYBP -Passage RMZBP - Privacy 2-5/8" Dia. Plain Rose

#### Door Pulls



**RP8BP** 3-1/4" x 3-7/8" proj. 1-3/4"



**AP4BP** 4-3/4" x 1-9/16" proj. 1/2"



**RPKBP** 11" x 3-7/16" proj. 2-3/8"



**RP1BP** 10-1/2" x 2-5/8" proj. 1-3/4"



**RPDBP** 11" x 2-5/8" proj. 2-3/8"



**RP2BP** 9" x 2-5/16" proj. 1-1/2"



**RPBBP** 6-1/2" x 2-1/4" proj. 1-1/2"



**RPCBP** 8" x 2-5/8" proj. 1-7/8"



**RPEBP** 8-1/2" x 1-5/8" proj. 1-1/2"



**APDBP** 7-3/4" x 2" proj. 1-5/8"



**APEBP** 8-1/2" x 2-1/4" proj. 1-1/2" \*ANABP



RPABP 8-1/2" x 2-1/4" proj. 1-1/2"

\*RPNBP



**APFBP** 6-3/4" x 2-1/8" proj. 1-5/8"



**RPJBP** 6-3/4" x 2-1/8" proj. 1-5/8"



**RPLBP** 9-5/8" x 3-13/16" proj. 2-3/8"

\*Aluminum

#### RIM LATCHES FOR INTERIOR AND LIGHT EXTERIOR DOORS



**RTWBI**: Passage door (handle on hall side of door) 9" x 2-5/16" proj: 1-1/2"



**RU6BI**: Reverse bevel/closet door. (handle on room side or exterior of storm door) 9" x 2-5/16" proj. 1-1/2"



**RU5BR**: Passage door (handle on hall side of door) 8-1/2" x 1-5/8" proj. 1-1/2"



**RU4BR**: Reverse bevel/closet door. (handle on room side or exterior of storm door) 8-1/2" x 1-5/8" proj. 1-1/2"

RUFBI: Combination of both RTWBI and RU6BI



**AT1BR**: Passage door (handle on hall side of door) 7-3/4" x 2" proj. 1-5/8"



AT4BR: Reverse bevel/closet door. (handle on room side or exterior of storm door) 7-3/4" x 2" proj. 1-5/8"




AT2BR: Passage door (handle on hall side of door) 8-1/2" x 2-1/4" proj. 1-1/2" RSABR: Rough handle



**AT5BR**: Reverse bevel/closet door. (handle on room side or exterior of storm door) 8-1/2" x 2-1/4" proj. 1-1/2" **RSBBR**: Rough handle

AT7BR: Combination of both AT1BR and AT4BR



RUEBR: Combination of both RU5BR and RU4BR



**AT3BR**: Passage door (handle on hall side of door) 6-3/4" x 2-1/2" proj. 1-5/8"



**AT6BR**: Reverse bevel/closet door. (handle on room side or exterior of storm door) 6-3/4" x 2-1/8" proj. 1-5/8"



ATUBI 12-3/16" x 3-1/8" proj. 1-3/4"

ATUBD Dummy handle with thumbpiece




ATXBI 10-3/16" x 2-7/8" proj. 1-3/4"
ATXBD Dummy handle with thumbpiece


RTABR: Rough handle (passage set)

RTBBR: Rough handle (closet door set)





A - for passage door with handle on hall side of door.



B - for closet or storm door with handle on exterior of door.

# RIM LATCH SETS FOR EXTERIOR AND INTERIOR DOORS

Heavy forged handles for 1-3/4" doors. At extra cost, sets may be modified for doors up to 3-1/2" thick. Please specify thickness of door when ordering.

Rim Latches are designed for doors 7/8" to 1-3/4" thick. The combination latches include all parts so that the handle may be mounted on either inswing or outswing door. All sets have a locking device. An extra long thumbpiece is required for doors over 1-3/4" thick and is available at extra cost. Please specify door thickness when ordering.

#### **Bar Latch Set**

Heavy lift bar, rim strike and guide suitable for small closet doors. Knob on bar. Use on flush door only.





ALCBP SWIVEL HASP (imported) 4-1/2"

#### **MLBBP Square Bolt**

The Square Bolt is packed with 3 strikes: rim, mortise, and surface.

Backplate: 4" x 2-3/8" Bolt Length: 5"





ALFBP
Slide Barrel Bolt (imported)
3" x 1-1/2"
4" Overall bolt length

#### **MLGBP** Cane Bolt

The Cane Bolt is packed with 3 strikes: rim, mortise, and surface.

**Backplate:** 4" x 2-3/4" **Bolt Length:** 12"





ALPBP Hook & Eye 3-1/4" x 1-1/2" 3/16" Threaded Screw



ALQBP Hook & Eye 5" x 1-3/4" 3/16" Threaded Screw

#### Cane Bolts- Spring Tension



Cane Bolts						
Catalog Number	Back Plate	Bolt Length				
ALEBP	4" x 1-1/2"	22-3/4"				
ALGBP	4" x 1-1/2"	12"				
ALHBP	6" x 1-3/4"	14"				

#### FORGED IRON BOLTS

(All bolts packed with three strikes; surface, rim and mortise).



Catalog Number	Nominal Size	Back Plate Size	Bolt Length Overall	Throw
RL3BP	3	2-1/4" X 1-1/4"	4-1/2"	1"
RL4BP	4	3-1/4" X 1-1/2"	5-1/4"	1-3/16"
RL5BP	6	3-1/4" X 1-1/2"	7"	2"
RL6BP	9	3-1/4" X 1-1/2"	9-3/4"	2"

#### FORGED IRON SQUARE BOLTS

(All bolts packed with three strikes; surface, mortise and rim).



Catalog Number	Back Plate Size	Bolt Length Overall	Throw
ALABP	2-1/4" x 1"	3-1/4"	5/8"
ALBBP	4" x 1-1/2"	5"	1-1/8"
ALDBP	6" x 1-3/4"	6-7/8"	1-1/8"

#### HANDLE WITH KNOB MORTISE LOCKSET

# WT1BI WT2BI

Complete Set-Includes Lock
#TMABG.

For residential doors of average weight and size where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn, and cylinder for exterior are included.

Dummy Set:

WT1BD, WT2BD

#### WT6BI



Complete Set-Includes Lock #TMABG.



For residential doors of large size and heavy weight where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.

Dummy Set: WT6BD





#### **Double Handle Locksets**



Complete Set-Includes Lock #TMCBG

For residential doors of average weight and size where handle operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for the interior.

Dummy Set:

WT3BD, WT4BD





Complete Set-Includes Lock #TMCBG



For residential doors of large size or smaller doors in public buildings where handle operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior.

Dummy Set: WT7BD





Complete Set- Includes Lock #TMCBG Double Cylinder

For lightweight store doors or doors of public buildings where handle operation is required for both exterior and interior.

Cylinders are provided for deadbolt operation on both sides.

Dummy Set:

WTKBD WTLBD





Complete Set- Includes Lock #TMCBG. *Double Cylinder* 

For average weight store doors or doors of public buildings where handle operation is required for both exterior and interior.

Cylinders are provided for deadbolt operation on both sides.

Dummy Set: WTRBD

Computer Number	Lock Number	Exterior Trim	Interior Trim
WT1BI	TMABG	WTUBG	RNIBPxRMHBPxWM7BPxTMOOP
WT2BI	TMABG	WTVBG	RNIBPxRMHBPxWM7BPxTMQOP
WT3BI	TMCBG	WTUBG	WTYBGxWM7BP
WT4BI	TMCBG	WTVBG	WUABGxWM7BP
WT6BI	TMABG WU1BG		RNIBPxRMHBPxWM7BPxTMQOP
WT7BI	TMCBG	WU1BG	WUABGxWM7BP
WTKBI	TMCBG WTUBG		WTUBG
WTLBI	TMCBG	WTVBG	WTVBG
WTRBI	TMCBG	WU1BG	WU1BG

<sup>•</sup> All sets packed one set in a box with screws. • Specify door thickness if other than 1-3/4"

<sup>•</sup> Cylinders available keyed alike as specified. • Handles are cast malleable iron.

#### HANDLE WITH KNOB MORTISE LOCKSETS

#### WUEBI



Complete Set-Includes Lock #TMABG. *Single Cylinder*.



For massive residential doors of large size and heavy weight where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.

Dummy Set: WUEBD









WUFBI

Complete Set-Includes Lock #TMABG.

For massive residential doors of unusual size and heavy weight where handle operation is required for both exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.

Dummy Set: WUFBD





#### **Double Handle Locksets**

#### WTNBI




Complete Set-Includes Lock #TMCBG. Double Cylinders



For heavy store doors or large doors of public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.

Dummy Set: **WTNBD**Note: Although only one
handle is shown, sets include

#### WUHBI



For massive residential doors of unusual size and heavy weight where handle operation is required for exterior. Inside drop ring, rose, thumbturn and exterior cylinder are included.







#### WTPBI



Complete Set -Includes Lock # TMCBG Double Cylinders

For extra heavy store doors or massive doors on public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.

Dummy Set: WTPBD



#### WTSBI





For massive residential doors of large sizeor medium weight where handle operation is required for exterior and interior. Cylinder is provided for exterior and thumbturn for the interior.

Dummy Set: WTSBD



# 4

#### WTTBI

Complete Set - Includes Lock #TMCBG

For massive residential doors of unusual size and heavy weight where handle operation is required for interior and exterior. Interior thumbturn and exterior cylinder are included.

Dummy Set: WTTBD

Computer Number	Lock Number	Exterior Trim	Interior Trim	
WUEBI	TMABG	WUCBG	RNIBPxRMHBPxWM7BPxTMQOP	
WUFBI	WUFBI TMABG		RNIBPxRMHBPxWM7BPxTMQOP	
WTNBI	WTNBI TMCBG		WUCBG	
WTPBI	WTPBI TMCBG		WU3BG	
WTSBI	WTSBI TMCBG		WUDBGxWM7BP	
WTTBI	WTTBI TMCBG		WU2BG	
WUHBI	TMABG	WU3BG	RM5BP	

<sup>•</sup> All sets packed one set in a box with screws. • Specify door thickness if other than 1-3/4" • Cylinders available keyed alike as specified.

#### ENTRANCE DOOR MORTISE LOCKSETS



**Escutcheon Lockset** Includes Lock #TMDBG. For residential doors and doors of average weight in public buildings where knob operation is required for both exterior and interior. Inside knob, rose, thumbturn and exterior cylinder are included. Dummy Set: WUGBD



Escutcheon Lockset Includes Lock #TMDBG. For residential doors and doors of average weight in public buildings where knob operation is required for both exterior and interior. Cylinder is provided for exterior and escutcheon with thumbturn for the interior. Dummy Set: WTMBD



**Knob Lockset** Includes Lock #TMDBG. For residential doors where knob is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior.

Dummy Set: WTJBD





Computer Number	outer Number Lock Number Exterior Trim		Interior Trim
WUGBI	TMDBG	WMLBGxRNIBP	RNIBPxRMHBPxWM7BPxTMOOP
WTMBI	TMDBG	WMLBGxRNIBP	WMMBGxRNIBP
WTJBI	TMDBG	RNIBPxRMHBPxWNFBP	RNIBPxRMHBPxWM7BP


<sup>•</sup> Cylinders available keyed alike as specified. • Specify door thickness if other than 1-3/4".

#### **Cylinder Lock Entrance Trim**

(Lock and Cylinder not included.)

#### ENTRANCE HANDLES (Trim Only)

ESCUTCHEON (Knob not included.)



Computer Number	Handle Length	Handle Width	Handle Projection	Cylinder Collar Length	Cylinder Collar Width	Escutcheon Length	Escutcheon Width
WMLBG	_	_	_	_	_	12	2-1/2
WTUBG	10-7/8	2-3/4	1-7/8	2-7/8	2-1/8		
WTVBG	10-3/4	2-3/4	2-3/8	2-7/8	2-1/8		
WU1BG	13-1/2	3-1/4	2-3/4	2-7/8	2-1/8		
WU3BG	5-3/4	_	2-1/2	_	_	17	3-3/4
WUCBG	5-3/4	_	2-1/2	2-7/8	2-1/8	12	3-1/2

<sup>•</sup> Handles WU3BG and WUCBG available with oval head through bolts and washers. Specify door thickness.

#### **Rim & Mortise Latches**

WTWBI Rim Latch



WTXBI Mortise Latch



WU6BI Reverse Bevel Rim Latch



WU9BI




Computer			Rim Latches Depth		Mortise Latches Size of Front			
Number	Length	Wldth	Length	Width	Mortise	Length	Width	Back Set
WTWBI	9"	2-3/8"	4"	2-3/8"	_	_	_	_
WTXBI	9"	2-3/8"	_	_	3-1/2"	3"	1"	2-3/8" or 2-3/4" avail.
WU6BI	9"	2-3/8"	4"	2-3/8"	_	_	_	_
WU9BI	9"	2-3/8"	_	_	3-1/2"	3"	1"	2-3/8" or 2-3/4" avail.

- All latches made for doors 1-3/8 to 13/4 thick. Special thumbpieces for thicker doors available on order at and additional cost.
- All sets packed one set in a box with screws. Handles are Cast Malleable Iron.

#### **Push Plates**



## WNCBP



#### **Door Knockers**

**RMWBG** 







**WMZBG** 

|--|--|--|

Computer Number	Length	Width
WNABP	12	2-1/2
WNBBP	15	3
WNCBP	12	3-1/2
WNDBP	17	3-3/4

Computer Number	Length	Width	Projection
RMWBG	8-1/4	3-1/4	2-3/4
WMYBG	6-1/2	4	1-3/4
WMZBG	6-1/4	4	1-1/2

<sup>•</sup> All push plates available cut for cylinder at top as specified at an additional cost.

#### **Double Knob Latch Set –** Rose not for pre-drilled doors. See pg. 24



Knobs 2"

#### RT8BI-Passage Set

For use on all interior doors where locking feature is not required.

Dummy (1 Knob & Rose): RT8BD

#### RT9BI-PrivacySet

For use on bedroom, bathroom and other interior doors where privacy is required. Emergency entry feature is included.




#### **Exterior Entry Set** For Pre-Drilled Door

#### WTFBI

15" H x 3" W proj. 2"

2" Knobs Dummy Set: WTFBD

## Door Pulls



\*\*Pulls WP9BP and WPABP also available cut for cylinder at top as specified at an additional cost.

Computer Number	Handle Length	Handle Width	Length Center To Center	Grips Type of Grip	Projection	Pla Length	ites Width
WP1BP	10-3/4	2-3/4	_	_	1-3/4	_	_
WP2BP	9	2-3/4	_	_	1-1/2	_	_
WP8BP	13-1/2	3-1/4	_	_	2-3/4	_	_
WP9BP	_	_	5-3/4	Square	2	12	3-1/2
WPABP	_	_	5-3/4	Square	2	17	3-3/4
WPBBP	6-1/4	3-1/4	_	_	Ring Dia. 4	_	_
WPDBP	11	2-3/4	_	_	2-7/8	_	_
WPEBP	_	_	5-3/4	Square	2	15	3

Acorn products, with the exception of Iron Art, are stocked in black and available in our russet finish. The Black and Russet items are finished within the company with a vinyl lacquer and are generally shipped in approximately 5 days.

Acorn offers a lifetime replacement warranty on all black and russet finishes. Lifetime warranty is for replacement only and does not include labor or consequential damages.